



KÖNIG


















DEALER CATALOGUE 2016-2017



www.konigchain.com

INDEX

CONSUMER SNOW CHAINS	4		
PASSENGER CARS	6		
König Easy-fit CU-9	6		
König Easy-fit CU-10	7		
König K-Summit	8		
König K-Slim	9		
König CB-7	9		
König CS-9	10		
König CL-10	11		
König CG-9	12		
König CD-9	13		
König CB-12	14		
SUVs	15		
König Easy-fit SUV	15		
König K-Summit XL	16		
König K-Summit XXL	16		
SUVs, VAN, MOTORHOMES	17	  	
König XG-12 Pro	17		
König XD-16	18		
König XB-16	19		
CONSUMER FITTING GUIDE	44		
Fitting guide by tyre size	44		
PROFESSIONAL SNOW CHAINS	20		
OFFROAD	21		
König Polar HD	21		
König Polar	22		
König Polar D	22		
König Rallye	23		
BUS	24		
König Coach Master	24		
BUS - TRUCK	25	 	
König T2 Pro	25		
TRUCK	26		
König Polar Pro	26		
König Polar Pro D	27		
König Rallye Pro	28		
König Rallye Pro 8 mm	29		
König Jumbo Pro	29		
König TM-7	30		
König Unitour	31		
König Cingoli X-Press Plus	32		
König Cingoli	32		
SNOW REMOVER	33		
König Super Impact	33		
SNOW REMOVER - TRACTOR	34	 	
König Impact Plus	34		
König Impact	35		
König DRS	36		
König DR	37		
TRACTOR	38		
König Supertractor	38		
König Agrotractor	39		
SPECIAL VEHICLES	40		
König Super Polar	40		
König Rallye Q	41		
König Rallye	42		
König Unitour	43		
PROFESSIONAL FITTING GUIDE	52		
Fitting guide by tyre size	52		

A company history dedicated to high quality and technology

König was established in 1966 in Lecco (Italy) in the Alps area, where snow chains are strictly needed in case of snow.

The modern manufacturing plant based in Molteno (Lecco) is the heart of König R&D, manufacturing, sales & marketing.



A new logo to remember 50 years of company history

Since 50 years König is proudly developer and manufacturer of premium quality snow chains distributed all over the world.



In the years the product range has been enlarged and currently we offer König snow chains for any kind of vehicle.



Attention and respect for the environment through concrete choices

In 2011 König obtained the prestigious certification ISO 14001. Since then, König has run the road of environmental sustainability with a proper waste, water, air and energy management. A concrete example has been the installation of an important photo-voltaic system for the production of "clean" energy.



Worldwide awarded

König snow chains got important awards all over the world for their ease of use, design and innovation. No other snow chain brand has obtained such a wide range of awards.



* Thule CL-10 = König CL-10

* Thule CS-10 = König CS-10

CONSUMER SNOW CHAINS






KÖNIG



PASSENGER CARS

König Easy-fit CU-9

The revolutionary snow chain: only 12 seconds to fit it offering an excellent driving comfort



TECHNICAL FEATURES

- 1 9 mm inside and on-the-tread clearance
- 2 Automatic tensioning system activated by foot
- 3 Internal rigid arch system
- 4 External release system
- Alloy wheels protection system with patented solutions
- Practical and durable bag, with built-in instructions, can be used as a rug during fitting
- Homologations/certifications/conformity: Ö-Norm 5117, UNI 11313, TÜV
- Not for off-road use





ITEM NUMBER
2004115 050
2004115 055
2004115 060
2004115 065
2004115 070
2004115 075
2004115 080
2004115 090
2004115 095
2004115 097
2004115 100
2004115 102
2004115 103
2004115 104



König Easy-fit CU-10



The revolutionary snow chain: only 12 seconds to fit it offering high performances on snow and ice



TECHNICAL FEATURES

- 10 mm inside and on-the-tread clearance
- 1 Asymmetrical diamond pattern chain with icebreaker reinforcements
- 2 Automatic tensioning system activated by foot
- 3 Internal rigid arch system
- 4 External release system
- Alloy wheels protection system with patented solutions
- Practical and durable bag, with built-in instructions, can be used as a rug during fitting
- Homologations/certifications/conformity: Ö-Norm 5117, UNI 11313, TÜV
- Not for off-road use

ITEM NUMBER

2004135 050
2004135 055
2004135 060
2004135 065
2004135 070
2004135 075
2004135 080
2004135 090
2004135 095
2004135 097
2004135 100
2004135 102
2004135 103
2004135 104
2004135 105




KÖNIG

König K-Summit



The most innovative external snow chain for cars, also compatible with vehicles with limited space behind the wheel



TECHNICAL FEATURES

- 0 mm clearance behind the wheel
- Fitted on the original nut/bolt of the wheel (not the anti-theft one)
- 1 Automatic tensioning system activated by ratchet
- 2 Tensioning springs decrease dynamic elevation
- 3 Tread chain with alternation of special injection-moulded plastic plates with hard metal studs and special steel chain
- Welded bars provide better grip and performance on ice and snow
- 4 Foldable arms for easy storage in a smart bag
- No contact with alloy rims
- Homologations/certifications/conformity: Ö-Norm 5117, UNI 11313, TÜV
- 100% compatible with original rims
- Not for off-road use
- Complete adaptors kit included in the packaging

ITEM NUMBER




- 20045057 **K11**
- 20045057 **K12**
- 20045057 **K22**
- 20045057 **K23**
- 20045057 **K33**
- 20045057 **K34**
- 20045057 **K44**
- 20045057 **K45**



König K-Slim



The snow chain with reduced dynamic elevation while driving also compatible with cars with limited space in the wheel arch



1 The special construction of the chain generates a reduced dynamic elevation while driving and ensures the absence of interferences between chain and vehicle body components

■ Manual tensioning system

2 Micro-regulation system

3 Closed shortening hooks avoid coils

4 Patented alloy wheels protection system

■ Homologations/certifications/conformity:
Ö-Norm 5117, UNI 11313, TÜV

ITEM
NUMBER

2004025 **060**

2004025 **065**

2004025 **070**

2004025 **075**

2004025 **080**

2004025 **085**

2004025 **090**

2004025 **095**

2004025 **097**

2004025 **100**

2004025 **102**


2004025 **103**

2004025 **104**

König CB-7



The manual tensioning snow chain with reduced inner thickness, developed for vehicles with slight limitations to the use of snow chains



■ 7 mm internal cable

■ Manual tensioning system

1 Closed shortening hooks avoid coils

2 Patented alloy wheels protection system

■ Homologations/certifications/conformity:
Ö-Norm 5117, TÜV

ITEM
NUMBER

2004015 **060**

2004015 **065**

2004015 **070**

2004015 **075**

2004015 **080**

2004015 **090**

2004015 **095**

2004015 **097**

2004015 **100**

2004015 **102**



2004015 **103**

2004015 **104**

König CS-9



The only self-tensioning snow chain with patented external quick release system



TECHNICAL FEATURES

- 9 mm inside and on-the-tread clearance
- 1 Self-tensioning system
- 2 Patented external quick release system
- 3 Micro-regulation system for perfect tensioning of the chain
- 4 Patented alloy wheels protection system
- Homologations/certifications/conformity: Ö-Norm 5117, UNI 11313, TÜV
- Not for off-road use




ITEM NUMBER

- 2004105 050
- 2004105 060
- 2004105 065
- 2004105 070
- 2004105 080
- 2004105 090
- 2004105 095
- 2004105 097
- 2004105 100
- 2004105 102
- 2004105 103
- 2004105 104

König CL-10



The self-tensioning snow chain with high level of performances on ice and snow



TECHNICAL FEATURES

- 10 mm inside and on-the-tread clearance
- 1 Self-tensioning system
- Asymmetrical diamond pattern chain with icebreaker reinforcements
- 2 Micro-regulation system for perfect tensioning of the chain
- 3 Patented alloy wheels protection system
- Homologations/certifications/conformity: Ö-Norm 5117, UNI 11313, TÜV

ITEM NUMBER

2004255 020
 2004255 030
 2004255 035
 2004255 040
 2004255 045
 2004255 050
 2004255 060
 2004255 065
 2004255 070
 2004255 080
 2004255 090
 2004255 095
 2004255 097
 2004255 100
 2004255 102
 2004255 103
 2004255 104
 2004255 105




* Thule CL-10 = König CL-10

KÖNIG

König CG-9



The self-tensioning snow chain offering an excellent driving comfort



TECHNICAL FEATURES

- 9 mm inside and on-the-tread clearance
- 1 Self-tensioning system
- 2 Micro-regulation system for perfect tensioning of the chain
- Superior driving comfort
- 3 Patented alloy wheels protection system
- Homologations/certifications/conformity:
Ö-Norm 5117, UNI 11313, TÜV

ITEM NUMBER



- 2004205 020
- 2004205 030
- 2004205 035
- 2004205 040
- 2004205 045
- 2004205 050
- 2004205 055
- 2004205 060
- 2004205 065
- 2004205 070
- 2004205 075
- 2004205 080
- 2004205 090
- 2004205 095
- 2004205 097
- 2004205 100
- 2004205 102
- 2004205 103
- 2004205 104
- 2004205 105
- 2004205 106
- 2004205 107
- 2004205 117



König CD-9



The manual tensioning snow chain with premium features



TECHNICAL FEATURES

- 9 mm inside and on-the-tread clearance
- Manual tensioning system
- 1** Micro-regulation system for perfect tensioning of the chain
- Closed shortening hooks avoid coils
- 2** Patented alloy wheels protection system
- Homologations/certifications/conformity:
Ö-Norm 5117, UNI 11313, TÜV
- The snow chain chosen by car manufacturers

ITEM NUMBER


2004305 **010**
 2004305 **015**
 2004305 **020**
 2004305 **030**
 2004305 **035**
 2004305 **040**
 2004305 **045**
 2004305 **050**
 2004305 **055**
 2004305 **060**
 2004305 **065**
 2004305 **070**
 2004305 **075**
 2004305 **080**
 2004305 **090**
 2004305 **095**
 2004305 **097**
 2004305 **100**
 2004305 **102**
 2004305 **103**
 2004305 **104**

KÖNIG

König CB-12



The 12mm manual tensioning snow chain: simple and sturdy



TECHNICAL FEATURES

- 12 mm inside and on-the-tread clearance
- Manual tensioning system
- Closed shortening hooks avoid coils
- 1** Locking device with wheel protections
- Homologations/certifications/conformity: Ö-Norm 5117, UNI 11313, TÜV

ITEM NUMBER




- 2004365 **020**
- 2004365 **030**
- 2004365 **040**
- 2004365 **050**
- 2004365 **060**
- 2004365 **065**
- 2004365 **070**
- 2004365 **080**
- 2004365 **090**
- 2004365 **095**
- 2004365 **097**
- 2004365 **100**
- 2004365 **102**
- 2004365 **104**

SUVs

König Easy-fit SUV



The revolutionary snow chain for SUVs: only 12 seconds to fit it and, thanks to the reduced internal thickness, can be fitted on the most SUVs and modern crossovers



TECHNICAL FEATURES

- 10 mm inside and on-the-tread clearance
- 1 Asymmetrical diamond pattern chain with icebreaker reinforcements
- 2 Automatic tensioning system specially developed for SUVs
- 3 Internal rigid arch system
- 4 External release system
- Alloy wheels protection system with patented solutions
- Practical and durable bag, with built-in instructions, can be used as a rug during fitting
- Homologations/certifications/conformity: Ö-Norm 5117, UNI 11313, TÜV
- Not for off-road use

ITEM NUMBER

2004735	225
2004735	230
2004735	235
2004735	240
2004735	245
2004735	247
2004735	250
2004735	255
2004735	265
2004735	267




KÖNIG

König K-Summit XL - XXL



The external snow chains for crossovers, small and big SUVs



TECHNICAL FEATURES

- 0 mm clearance behind the wheel
- Fitted on the original nut/bolt of the wheel (not the anti-theft one)
- 1 Automatic tensioning system activated by ratchet
- 2 Tensioning springs decrease dynamic elevation
- 3 Tread chain with alternation of special injection-moulded plastic plates with hard metal studs and special steel chain
- Welded bars provide better grip and performance on ice and snow
- 4 Foldable arms for easy storage in a smart bag
- No contact with alloy rims
- Homologations/certifications/conformity: Ö-Norm 5117, UNI 11313, TÜV
- 100% compatible with original rims
- Not for off-road use

K-Summit XL

The external snow chain for small SUVs and crossovers max 2,000 kg of empty weight

ITEM NUMBER
20045357 K55
20045357 K56

K-Summit XXL

The external snow chain for big SUVs over 2,000 kg of empty weight

ITEM NUMBER
20045657 K66
20045657 K67
20045657 K77





SUVs - VAN - MOTORHOMES

König XG-12 Pro



The best self-tensioning snow chain for SUVs, VAN and motorhomes



TECHNICAL FEATURES

- 12 mm inside and on-the-tread clearance
- 1 Self-tensioning system
- 2 Micro-regulation system for perfect tensioning of the chain
- Special pattern chain design with welded double-traction plates
- 3 Patented alloy wheels protection system
- Homologations/certifications/conformity:
Ö-Norm 5117, Ö-Norm 5119, UNI 11313, TÜV

ITEM NUMBER



2004705	210
2004705	220
2004705	225
2004705	227
2004705	230
2004705	235
2004705	240
2004705	245
2004705	247
2004705	250
2004705	255
2004705	265
2004705	267

KÖNIG

König XD-16



The classic manual tensioning chain with premium features, ideal for 4-wheel drive vehicles and VAN



TECHNICAL FEATURES

- 16 mm inside and on-the-tread clearance
- Manual tensioning system
- 1 Micro-regulation system for perfect tensioning of the chain
- 2 Patented alloy wheels protection system
- 3 Double steel springs
- Closed shortening hooks avoid coils
- Homologations/certifications/conformity:
Ö-Norm 5117, Ö-Norm 5119, UNI 11313, TÜV


ITEM NUMBER

- 2004805 190
- 2004805 200
- 2004805 210
- 2004805 220
- 2004805 225
- 2004805 227
- 2004805 230
- 2004805 235
- 2004805 240
- 2004805 245
- 2004805 247
- 2004805 250
- 2004805 255
- 2004805 265
- 2004805 266
- 2004805 267

König XB-16



The 16mm manual tensioning snow chain:
simple and sturdy



TECHNICAL FEATURES

- 16 mm inside and on-the-tread clearance
- Manual tensioning system
- Closed shortening hooks avoid coils
- 1 Locking device with wheel protections
- Homologations/certifications/conformity:
Ö-Norm 5117, Ö-Norm 5119, UNI 11313, TÜV

ITEM NUMBER

2004825	210
2004825	220
2004825	225
2004825	227
2004825	230
2004825	235
2004825	240
2004825	245
2004825	247
2004825	250
2004825	255
2004825	265
2004825	267

KÖNIG

PROFESSIONAL SNOW CHAINS

KÖNIG



OFFROAD

König Polar HD



The reinforced version snow chain for offroad vehicles for heavy usage



ITEM NUMBER	WIRE mm
2001613 200	5,70
2001613 205	5,70
2001613 210	5,70
2001613 220	5,70
2001613 225	5,70
2001613 227	5,70
2001613 230	5,70
2001613 235	5,70
2001613 240	5,70
2001613 245	5,70
2001613 246	5,70
2001613 247	5,70
2001613 250	5,70
2001613 255	5,70
2001613 265	5,70
2001613 266	5,70
2001613 267	5,70



TECHNICAL FEATURES

- 1 Simple diamond pattern chain
- 2 Cross chain with reinforcements on horizontal links
- 3 Traditional fitting system, with internal side chain
- 5,70 mm links with reinforcements: make the chain reliable even on deep-tread tyres (i.e. mud terrain)
- Tensioning by side chain and tightening lever
- Homologations/certifications/conformity: Ö-Norm 5117, Ö-Norm 5119 and TÜV
- Packaging: 1 pair per sack
- All offroad König chains can be used on muddy ground too




König Polar



The snow chain with reinforcements for offroad vehicles and VAN recommended on snow, ice and tough road conditions



ITEM NUMBER	WIRE mm
2001610 200	4,35
2001610 205	4,35
2001610 210	4,35
2001610 220	4,35
2001610 225	4,35
2001610 227	4,35
2001610 230	4,35
2001610 235	4,35
2001610 240	4,35
2001610 245	4,35
2001610 246	4,35
2001610 247	4,35
2001610 250	4,35
2001610 255	4,35
2001610 265	4,35
2001610 267	4,35



TECHNICAL FEATURES

- 1** Simple diamond pattern chain
- 2** Cross chain with reinforcements on horizontal links
- 3** Traditional fitting system, with internal side chain
- Fixing system with spring and ending S
- Tensioning by side chain and tightening lever
- Homologations/certifications/conformity: Ö-Norm 5117, Ö-Norm 5119 and TÜV
- Packaging: 1 pair per sack
- All offroad König chains can be used on muddy ground too

König Polar D

The Polar version for twin wheels

ITEM NUMBER	WIRE mm
2001690 210	4,35
2001690 220	4,35
2001690 225	4,35
2001690 227	4,35
2001690 230	4,35
2001690 240	4,35
2001690 245	4,35
2001690 250	5,70

- Packaging: 1 pair per sack

König Rallye



The snow chain for offroad vehicles and VAN for standard uses



ITEM NUMBER	WIRE mm
2001665 200	4,35
2001665 210	4,35
2001665 220	4,35
2001665 225	4,35
2001665 230	4,35
2001665 235	4,35
2001665 240	4,35
2001665 245	4,35
2001665 247	4,35
2001665 250	4,35
2001665 255	4,35
2001665 265	4,35
2001665 267	4,35



TECHNICAL FEATURES

- 1 Simple diamond pattern chain
- 2 Simple link cross chain
- 3 Traditional fitting system, with internal side chain
- Fixing system with spring and ending S
- Tensioning by side chain and tightening lever
- Homologations/certifications/conformity: Ö-Norm 5117, Ö-Norm 5119 and TÜV
- Packaging: 1 pair per sack
- All offroad König chains can be used on muddy ground too

BUS**König Coach Master**

The rigid arch snow chain for buses



ITEM NUMBER	WIRE mm
2001780 901	6,00
2001780 902	6,00
2001780 903	6,00
2001780 904	6,00
2001780 905	6,00
2001780 906	6,00
2001780 907	6,00
2001780 908	6,00
2001780 909	6,00
2001780 910	6,00
2001780 911	6,00
2001780 912	6,00
2001780 913	6,00
2001780 914	6,00
2001780 915	6,00



1



2



3



4



5

TECHNICAL FEATURES

- Simple diamond pattern chain
- 1 Simple link cross-chain with round-shaped cross-section of 6,00 mm
- 2 The rigid arch fitting system allows the fitting on buses with limited wheelhouse clearance and twin wheels without lifting the vehicle
- 3 Chain made in K-Premium Steel
- 4 The closing device of the rigid arch is easily activated from the external side of the wheel avoiding manual operations in the wheelhouse
- 5 The locking device preventing any accidental unlocking while driving
- Short pitch tightening chain
- Elastic end with a spring and a simplex
- Homologations/certifications/conformity: Ö-Norm 5119 and TÜV
- Packaging nylon bag: 1 pair of chains, plastified mounting instructions, nylon long gloves, repairing links

BUS - TRUCK

König T2 Pro



The flexible cable snow chain for trucks and buses



ITEM NUMBER	WIRE mm
2001737 260	5,70
2001737 270	5,70
2001737 274	5,70
2001737 275	5,70
2001737 279	5,70
2001737 280	6,40
2001737 290	6,40
2001737 295	7,75
2001737 300	7,75
2001737 305	7,75
2001737 310	7,75
2001737 316	7,75
2001737 320	7,75
2001737 330	7,75
2001737 350	6,40
2001737 370	7,75
2001737 371	7,75



TECHNICAL FEATURES

- Simple diamond pattern chain
- 1 Simple link cross chain
- 2 Internal flexible cable for quick, one-stop fitting
- 3 Chain made in K-Premium Steel
- 4 Double locking system
- 5 Tightening chain with steel spring holds the chain tight against the tyre when driving
- Hardened, galvanized steel with D-shaped cross-sections of 5,70 mm and 6,40 mm, and D-plus cross-section of 7,75 mm
- Tightening chain with elastic end
- Homologations/certifications/conformity: Ö-Norm 5119 and TÜV
- Packaging nylon bag: 1 pair of chains, plastified mounting instructions, nylon long gloves, repairing links


KÖNIG

TRUCK

König Polar Pro



The snow chain for trucks
with reinforcements



TECHNICAL FEATURES

- 1** Simple diamond pattern chain
- 2** Cross chain with reinforcements on horizontal links
- 3** Traditional fitting system, with internal side chain
- 4** Chain made in K-Premium Steel
- Hardened, galvanized steel with D-shaped cross-sections of 5,70 mm and 6,40 mm, and D-plus cross-section of 7,75 mm
- Traditional tensioning by side chain and tightening lever
- Homologations/certifications/conformity: Ö-Norm 5119 and TÜV
- Packaging: from 248 to 277, 1 pair of chains per sack; from 280 to 940, 1/2 a pair of chains per sack

ITEM NUMBER	WIRE mm
2001807 248	5,70
2001807 249	5,70
2001807 258	5,70
2001807 260	5,70
2001807 261	5,70
2001807 262	5,70
2001807 263	5,70
2001807 264	5,70
2001807 268	5,70
2001807 270	5,70
2001807 271	5,70
2001807 274	5,70
2001807 275	5,70
2001807 277	5,70
2001807 280	6,40
2001807 290	6,40
2001807 295	7,75
2001807 296	6,40
2001807 300	7,75
2001807 305	7,75
2001807 310	7,75
2001807 316	7,75
2001807 320	7,75
2001807 330	7,75
2001807 350	6,40
2001807 352	6,40
2001807 358	7,75
2001807 359	7,75
2001807 360	7,75
2001807 364	7,75
2001807 370	7,75
2001807 371	7,75
2001807 380	7,75
2001807 390	7,75
2001807 398	7,75
2001807 520	7,75
2001807 525	7,75
2001807 530	7,75
2001807 770	7,75
2001807 772	7,75
2001807 775	7,75
2001807 780	7,75
2001807 790	7,75
2001807 795	7,75
2001807 810	7,75
2001807 820	7,75
2001807 920	7,75
2001807 930	7,75
2001807 940	7,75


König Polar Pro D



The Polar Pro version
for twin wheels



ITEM NUMBER	WIRE mm
2001897 260	5,70
2001897 270	5,70
2001897 275	5,70
2001897 290	5,70
2001897 295	7,75
2001897 300	7,75
2001897 310	7,75
2001897 320	7,75
2001897 330	7,75
2001897 350	5,70
2001897 370	7,75



TECHNICAL FEATURES

- 1 Simple diamond pattern chain
- 2 Cross chain with reinforcements on horizontal links
- 3 Traditional fitting system, with internal side chain
- 4 Chain made in K-Premium Steel
- Hardened, galvanized steel with D-shaped cross-sections of 5,70 mm and D-plus cross-section of 7,75 mm
- Traditional tensioning by side chain and tightening lever
- Homologations/certifications/conformity: Ö-Norm 5119 and TÜV
- Packaging: 1/2 pair per sack

KÖNIG

König Rallye Pro



The snow chain for trucks
for medium-to-heavy uses



ITEM NUMBER	WIRE mm
2001847 260	5,70
2001847 262	5,70
2001847 270	5,70
2001847 271	5,70
2001847 274	5,70
2001847 275	5,70
2001847 280	6,40
2001847 290	6,40
2001847 295	7,75
2001847 296	6,40
2001847 300	7,75
2001847 305	7,75
2001847 310	7,75
2001847 316	7,75
2001847 320	7,75
2001847 330	7,75
2001847 350	6,40
2001847 360	7,75
2001847 370	7,75
2001847 371	7,75
2001847 390	7,75



TECHNICAL FEATURES

- 1** Simple diamond pattern chain
 - 2** Simple link cross chain
 - 3** Traditional fitting system, with internal side chain
 - 4** Chain made in K-Premium Steel
- Hardened and galvanized steel with D-shaped cross-sections of 5,70 mm and 6,40 mm, and D-plus cross-section of 7,75 mm
 - Traditional tensioning by side chain and tightening lever
 - Homologations/certifications/conformity: Ö-Norm 5119 and TÜV
 - Packaging: from 260 to 275, 1 pair of chains per sack; from 280 to 390 1/2 a pair of chains per sack

König Rallye Pro 8 mm



The completely welded and hardened snow chain for heavy usage on trucks

ITEM NUMBER	WIRE mm
2001864 300	8,00
2001864 310	8,00
2001864 320	8,00
2001864 330	8,00
2001864 370	8,00



TECHNICAL FEATURES

- 1 Simple diamond pattern chain manufactured with D-Shape 8,00 mm wire
- 2 Simple link cross chain
- 3 Traditional fitting system, with internal side chain
- 4 Chain made in K-Premium Steel
- Completely welded: 8 mm welded rings connect cross chain with side elements
- Traditional tensioning by side chain and tightening lever
- Homologations/certifications/conformity: Ö-Norm 5119 and TÜV
- Packaging: 1/2 pair per sack

König Jumbo Pro



The snow chain developed for super-single tyres

ITEM NUMBER	WIRE mm
2001880 329	7,75
2001880 331	7,75
2001880 333	7,75
2001880 335	7,75



TECHNICAL FEATURES

- 1 Asymmetrical pattern chain design
- 2 Simple link cross chain, hardened and galvanized steel with D-plus cross-section of 7,75 mm
- Traditional tensioning by side chain and tightening lever
- 3 Chain made in K-Premium Steel
- Homologations/certifications/conformity: Ö-Norm 5119 and TÜV
- Packaging: 1/2 pair per sack

König TM-7



The snow chain for standard uses on medium-to-heavy trucks

ITEM NUMBER	WIRE mm
2001821 295	7,75
2001821 300	7,75
2001821 305	7,75
2001821 310	7,75
2001821 320	7,75
2001821 330	7,75
2001821 370	7,75



TECHNICAL FEATURES

- 1 Single diamond pattern chain
- 2 Simple link cross chain, hardened and galvanized steel with D-plus cross-section of 7,75 mm
- 3 Traditional tensioning by side chain and tightening lever
- The entry-level chain for heavy transport
- Equipped with shortening rings and end-tightening spring
- Homologations/certifications/conformity: Ö-Norm 5119 and TÜV
- Packaging: 1/2 pair per sack

KÖNIG

König Unitour



The ladder-pattern
snow chain for trucks



ITEM NUMBER	WIRE mm
2001870 260	5,70
2001870 270	5,70
2001870 275	5,70
2001870 280	6,40
2001870 290	6,40
2001870 295	7,00
2001870 300	7,00
2001870 310	7,00
2001870 320	7,00
2001870 330	7,00
2001870 350	6,40
2001870 370	7,00
2001870 371	7,00



TECHNICAL FEATURES

- 1 Ladder pattern chain
- 2 Simple link cross chain, hardened and galvanized steel with D-shaped cross-sections of 5,70 mm, 6,40 mm, 7,00 mm
- 3 Traditional tensioning by side chain and tightening lever
- Packaging: 1 pair per sack

König Cingoli X-Press Plus



The easy to handle and to fit emergency devices that do not damage alloy wheels

ITEM NUMBER	CODE	WIRE mm
2001913983	A	7,00
2001913984	B	7,00
2001913985	C	6,40



For greater safety, König suggests using six "cingoli"



TECHNICAL FEATURES

- 1 Special pattern chain design with welded rings
- 2 Simple link cross chain, hardened and galvanized steel with D-shaped cross-sections of 6,40 mm, 7,00 mm
- 3 The ratchet tensioning system
- Ratchet system, connected by rapid link to the plate, allows separate replacement of the elements
- Packaging: 3 pieces per sack

König Cingoli




The classic emergency devices for heavy trucks

ITEM NUMBER	CODE	WIRE mm
2001915983	A	7,00
2001915984	B	7,00
2001915985	C	6,40
2001915986	D	5,70
2001915987	E	5,70



For greater safety, König suggests using six "cingoli"



TECHNICAL FEATURES


- 1 Ladder chain pattern with three cross-chains
- 2 Simple link cross chain, hardened and galvanized steel with D-shaped cross-sections of 5,70 mm, 6,40 mm, 7,00 mm
- 3 Classical hook fixing system
- Packaging: 3 pieces per sack

SNOW REMOVER

König Super Impact



The net pattern snow chain for extreme winter services and snowbound construction sites



ITEM NUMBER	WIRE mm
2001973 400	7,00
2001974 400	8,00
2001973 401	7,00
2001974 401	8,00
2001973 402	7,00
2001973 403	7,00
2001973 404	7,00
2001974 404	8,00
2001973 405	7,00
2001973 406	7,00
2001973 407	7,00
2001974 408	8,00
2001973 409	7,00
2001974 410	8,00
2001974 411	8,00
2001974 412	8,00
2001974 413	8,00
2001974 414	8,00
2001974 415	8,00
2001974 416	8,00
2001974 417	8,00
2001974 418	8,00
2001974 419	8,00
2001975 420*	9,50
2001975 421*	9,50
2001975 422*	9,50
2001974 423	8,00
2001974 424	8,00
2001975 426*	9,50
2001975 430*	9,50
2001974 431	8,00
2001975 432*	9,50
2001974 433	8,00
2001974 434	8,00
2001974 435	8,00
2001974 436	8,00
2001974 437	8,00
2001975 438*	9,50
2001974 439	8,00
2001975 440*	9,50
2001974 441	8,00
2001975 442*	9,50
2001974 444	8,00
2001975 445*	9,50
2001975 446*	9,50
2001975 447*	9,50

* In wooden case

TECHNICAL FEATURES

- 1 Exclusive net type pattern
- 2 Cross chain with reinforcements and anti-wearing bars, welded both on reinforcements and on vertical links
- 3 Triple cross-chain closing hook, with unlocking system and additional welded bars
- 4 Chain made in K-Premium Steel
- 5 Internal chain with two shackles to regulate the chain
- 6 Tensioning by side chain and special heavy duty tightening lever
- Special welded rings connecting pattern and side chain
- Pattern chain made with D shape wire 7,00 mm, 8,00 mm and 9,50 mm
- Chain entirely hardened and galvanized
- Double side use for longer life
- Packaging: 1/2 pair per sack/case


SNOW REMOVER - TRACTOR

König Impact Plus



The triple diamond pattern chain suggested for extreme winter services

ITEM NUMBER	WIRE mm
2001952 585	9,50
2001952 590	9,50
2001952 595	9,50
2001952 598	9,50
2001952 600	9,50
2001952 605	9,50
2001952 980	9,50
2001952 985	9,50




TECHNICAL FEATURES

- 1 Triple diamond pattern chain
- 2 Cross chain with reinforcements and anti-wearing bars, welded both on reinforcements and on vertical links
- 3 Double cross-chain closing hook with unlocking system
- 4 Chain made in K-Premium Steel
- 5 Internal chain with two shackles to regulate the chain
 - Tensioning by side chain and tightening lever
 - Special welded rings connecting pattern and side chain
 - Pattern chain made with D shape wire 9,50 mm
 - Chain entirely hardened and galvanized
 - Double side use for longer life
 - Packaging: 1/2 pair per case

König Impact



The double diamond pattern chain suggested for extreme winter services



TECHNICAL FEATURES

- 1 Double diamond pattern chain
- 2 Cross chain with reinforcements and anti-wearing bars, welded both on reinforcements and on vertical links
- 3 Single cross-chain closing hook with unlocking system
- 4 Chain made in K-Premium Steel
- 5 Internal chain with two shackles to regulate the chain
 - Tensioning by side chain and tightening lever
 - Special welded rings connecting pattern and side chain
 - Pattern chain made with D shape wire 7,00 mm, 8,00 mm and 9,50 mm
 - Chain entirely hardened and galvanized
 - Double side use for longer life
- Homologations/certifications/conformity: Ö-Norm 5119 and TÜV
- Packaging: 1/2 pair per sack/case

ITEM NUMBER	WIRE mm
2001977 300	7,00
2001977 310	7,00
2001977 320	7,00
2001978 320	8,00
2001977 330	7,00
2001978 330	8,00
2001977 358	7,00
2001977 359	7,00
2001977 360	7,00
2001978 360	8,00
2001977 363	7,00
2001977 364	7,00
2001977 370	7,00
2001978 370	8,00
2001977 373	7,00
2001977 380	7,00
2001978 380	8,00
2001978 390	8,00
2001978 500	8,00
2001978 505	8,00
2001978 506	8,00
2001978 510	8,00
2001978 517	8,00
2001978 520	8,00
2001978 522	8,00
2001979 539*	9,50
2001979 540*	9,50
2001979 550	9,50
2001979 560*	9,50
2001979 570	9,50
2001979 575*	9,50
2001979 580*	9,50
2001979 603*	9,50
2001977 770	7,00
2001977 772	7,00
2001977 775	7,00
2001977 780	7,00
2001978 790	8,00
2001978 795	8,00
2001977 810	7,00
2001978 820	8,00
2001979 825	9,50
2001979 830*	9,50
2001979 840*	9,50
2001979 850*	9,50
2001979 860*	9,50
2001979 869*	9,50
2001979 870*	9,50
2001979 875*	9,50
2001979 878*	9,50
2001979 880*	9,50
2001979 885*	9,50
2001979 886*	9,50
2001979 887*	9,50
2001979 900*	9,50
2001978 920	8,00
2001978 940	8,00
2001979 950*	9,50
2001979 960*	9,50
2001979 970*	9,50

* In wooden case


König DRS



The triple diamond pattern chain for standard winter services



ITEM NUMBER	WIRE mm
2001961 585	10,00
2001961 590	10,00
2001961 593	10,00
2001961 595	10,00
2001961 598	10,00
2001961 600	10,00
2001961 605	10,00
2001961 620	11,00
2001961 625	11,00
2001961 628	11,00
2001961 875	10,00
2001961 878	10,00
2001961 885	10,00
2001961 900	10,00
2001961 950	10,00
2001961 975	10,00
2001961 980	10,00
2001961 985	10,00
2001961 990	10,00




TECHNICAL FEATURES

- 1 Triple diamond pattern chain
- 2 Cross chain with reinforcements on horizontal links
- 3 Double cross-chain closing hook with unlocking system
- 4 Chain made in K-Premium Steel
- 5 Internal chain with two shackles to regulate the chain
- Tensioning by side chain and tightening lever
- Special welded rings connecting pattern and side chain
- Pattern chain made with round shape wire 10,00 mm and 11,00 mm
- Chain entirely hardened and galvanized
- Double side use for longer life
- Packaging: 1/2 pair per case

König DR



The double diamond pattern chain for standard winter services



TECHNICAL FEATURES

- 1 Double diamond pattern chain
 - 2 Cross chain with reinforcements on horizontal links
 - 3 Single cross-chain closing hook with unlocking system
 - 4 Chain made in K-Premium Steel
 - 5 Internal chain with two shackles to regulate the chain
- Tensioning by side chain and tightening lever
 - Special welded rings connecting pattern and side chain
 - Pattern chain made with D shape wire 6,40 mm, 7,00 mm, 8,00 mm and round shape 10,00 mm
 - Chain entirely hardened and galvanized
 - Double side use for longer life
 - Homologations/certifications/conformity: Ö-Norm 5119 and TÜV
 - Packaging: 1/2 pair per sack/case

ITEM NUMBER	WIRE mm
2001950 253	6,40
2001950 254	6,40
2001950 256	6,40
2001950 257	6,40
2001950 258	6,40
2001950 259	6,40
2001950 260	6,40
2001950 261	6,40
2001950 263	6,40
2001950 264	6,40
2001950 265	6,40
2001950 266	6,40
2001950 268	6,40
2001950 270	6,40
2001950 274	6,40
2001950 275	6,40
2001950 277	6,40
2001950 290	6,40
2001950 294	6,40
2001950 296	6,40
2001950 298	6,40
2001950 300	7,00
2001950 310	7,00
2001950 320	7,00
2001950 330	7,00
2001950 358	7,00
2001950 359	7,00
2001950 360	7,00
2001950 363	7,00
2001950 364*	7,00
2001950 370*	7,00
2001950 373	7,00
2001950 380*	7,00
2001950 390	8,00
2001950 500*	8,00
2001950 505*	8,00
2001950 506	8,00
2001950 510	8,00
2001950 512	8,00
2001950 516	8,00
2001950 517	8,00
2001950 520	8,00
2001950 522	8,00
2001950 539	10,00
2001950 540	10,00
2001950 550*	10,00
2001950 560*	10,00
2001950 570*	10,00
2001950 575*	10,00
2001950 580*	10,00
2001950 770	7,00
2001950 772	7,00
2001950 775	7,00
2001950 780	7,00
2001950 790	8,00
2001950 795	8,00
2001950 810	7,00
2001950 820	8,00
2001950 825	10,00
2001950 830	10,00
2001950 840	10,00
2001950 850	10,00
2001950 860	10,00
2001950 869	10,00

ITEM NUMBER	WIRE mm
2001950 870*	10,00
2001950 875*	10,00
2001950 878*	10,00
2001950 880*	10,00
2001950 885*	10,00
2001950 886*	10,00
2001950 887*	10,00
2001950 900*	10,00
2001950 920	8,00
2001950 930	8,00
2001950 940	8,00
2001950 950*	10,00
2001950 960*	10,00
2001950 970*	10,00
2001950 975*	10,00

* In wooden case

TRACTOR

König Supertractor



The simple diamond pattern chain for standard agricultural uses



TECHNICAL FEATURES

- 1 Lightened double-diamond tread pattern
 - 2 Simple link cross chain made with D shape wire 7,00 mm, 8,00 mm, 9,50 mm and round shape 11,00 mm
 - 3 Single cross-chain closing hook with unlocking system
 - 4 Chain made in K-Premium Steel
 - 5 Internal chain with two shackles to regulate the chain
- Tensioning by side chain and tightening lever
 - Special welded rings connecting pattern and side chain
 - Chain entirely hardened and galvanized
 - Double side use for longer life
 - Homologations/certifications/conformity: Ö-Norm 5119 and TÜV
 - Packaging: 1/2 pair per sack/case


ITEM NUMBER	WIRE mm
2001940 300	7,00
2001940 310	7,00
2001940 320	7,00
2001940 330	7,00
2001940 360	7,00
2001948 360	8,00
2001940 370	7,00
2001940 373	7,00
2001940 390	8,00
2001940 505	8,00
2001940 506	8,00
2001940 520	8,00
2001940 570	8,00
2001940 595	9,50
2001942 605	9,50
2001940 623*	11,00
2001940 625*	11,00
2001940 627*	11,00
2001940 628*	11,00
2001940 770	7,00
2001940 771	7,00
2001940 772	7,00
2001940 775	7,00
2001940 780	7,00
2001940 790	8,00
2001940 795	8,00
2001940 810	7,00
2001940 820	7,00
2001940 825	8,00
2001940 830	8,00
2001940 840	9,50
2001948 840	8,00
2001940 850	9,50
2001948 850	8,00
2001940 860	9,50
2001948 860	8,00
2001940 870	9,50
2001948 870	8,00
2001940 875	9,50
2001948 875	8,00
2001940 878	9,50
2001948 878	8,00
2001940 880	9,50
2001948 880	8,00
2001940 885	9,50
2001948 885	8,00
2001940 886	9,50
2001940 887	9,50
2001940 900	9,50
2001940 950	9,50
2001940 960	9,50
2001940 970	9,50
2001940 980	9,50
2001940 982*	11,00
2001940 986*	11,00
2001940 987*	11,00
2001940 988*	11,00
2001940 990*	11,00
2001940 992*	11,00
2001940 995*	11,00

* In wooden case

König Agrotractor



The ladder pattern chain for light agricultural uses



TECHNICAL FEATURES

- 1** Ladder tread pattern with reinforced, welded rings on horizontal cross-chains
- 2** Cross chain with reinforcements on horizontal links
- 3** Tensioning by shortening rings, side chain and tightening lever
- 4** Internal chain with two shackles to regulate the chain
- Pattern chain made with D shape wire 7,00 mm, 8,00 mm and 9,50 mm
- Chain entirely hardened and galvanized
- Double side use for longer life
- Packaging: 1/2 pair per sack

ITEM NUMBER	WIRE mm
2001967 300	7,00
2001967 358	7,00
2001967 359	7,00
2001967 360	7,00
2001967 363	7,00
2001967 370	7,00
2001967 373	7,00
2001967 510	7,00
2001967 520	7,00
2001968 540	8,00
2001968 570	8,00
2001969 605	9,50
2001967 770	7,00
2001967 772	7,00
2001967 775	7,00
2001967 780	7,00
2001968 790	8,00
2001968 795	8,00
2001968 796	8,00
2001967 810	7,00
2001967 820	7,00
2001968 825	8,00
2001968 830	8,00
2001968 840	8,00
2001968 850	8,00
2001968 860	8,00
2001968 870	8,00
2001968 875	8,00
2001969 875	9,50
2001968 877	8,00
2001969 877	9,50
2001968 878	8,00
2001969 878	9,50
2001968 880	8,00
2001969 880	9,50
2001968 885	8,00
2001969 885	9,50
2001968 886	8,00
2001969 886	9,50
2001968 887	8,00
2001969 887	9,50
2001968 899	8,00
2001968 900	8,00
2001969 900	9,50
2001968 930	8,00
2001968 950	8,00
2001969 950	9,50
2001969 951	9,50
2001969 955	9,50
2001969 959	9,50
2001968 960	8,00
2001969 960	9,50
2001968 970	8,00
2001969 970	9,50
2001968 980	8,00
2001969 980	9,50

SPECIAL VEHICLES

König Super Polar



The snow chain for medium-to-heavy duty use on forklift trucks



ITEM NUMBER	WIRE mm
2001630 020	5,00
2001630 128	5,00
2001630 130	5,00
2001630 131	5,00
2001630 140	5,00
2001630 142	5,00
2001630 143	5,00
2001630 144	5,00
2001630 148	5,00
2001630 150	5,00
2001630 151	5,00
2001630 160	5,00
2001630 161	5,00
2001630 165	5,00
2001630 167	5,00
2001630 168	5,00
2001630 169	5,00
2001630 170	5,00
2001630 171	5,00
2001630 172	5,00
2001630 173	5,00
2001630 178	5,70
2001630 180	5,00
2001630 185	5,00
2001630 241	5,70
2001630 246	5,70
2001630 248	5,70
2001630 251	5,70
2001630 252	5,70
2001630 285	5,70
2001630 286	6,40
2001630 287	5,70
2001630 352	7,00



TECHNICAL FEATURES

- 1 Double diamond asymmetrical pattern with icebreaker reinforcements ensures excellent tyre coverage, a requirement on special tyres: i.e. super-elastic tyres
 - 2 Cross chain with reinforcements on horizontal links
 - 3 Traditional fitting system with single cross chain closing hook
- Chain made in K-Premium Steel
 - Chain made in special alloy steel with D-shaped cross-sections of 5,00 mm, 5,70 mm and 7,00 mm
 - Tensioning by side chain and tightening lever
 - Packaging: 1 pair per sack



König Rallye Q



The snow chain recommended for ATVs, UTVs and side-by-sides



ITEM NUMBER	WIRE mm
2001647 449	4,35
2001647 450	4,35
2001647 453	4,35
2001647 457	4,35
2001647 458	4,35
2001647 459	4,35
2001647 461	4,35
2001647 464	4,35
2001647 467	4,35
2001647 470	4,35
2001647 473	4,35
2001647 476	5,70
2001647 479	5,70
2001647 480	5,70
2001647 481	5,70
2001647 482	5,70
2001647 483	5,70
2001647 484	5,70



TECHNICAL FEATURES

- 1 Single diamond pattern chain
- 2 Simple link cross chain
- 3 Traditional fitting system, with internal side chain
- Tensioning by side chain and tightening lever
- Packaging: 1 pair per sack



König Rallye



The snow chain ideal for medium-to-heavy duty uses on gardening vehicles and manual snow blowers



ITEM NUMBER	WIRE mm
2001650 114	3,55
2001650 115	3,55
2001650 116	3,55
2001650 118	3,55
2001650 119	3,55
2001650 120	3,55
2001650 121	3,55
2001650 123	3,55
2001650 124	3,55
2001650 129	3,55
2001650 131	3,55
2001650 132	3,55
2001650 133	3,55
2001650 134	3,55
2001650 135	4,35
2001650 136	3,55
2001650 138	3,55
2001650 139	3,55
2001650 142	3,55
2001650 143	3,55
2001650 149	4,35
2001650 151	3,55
2001650 152	3,55
2001650 157	3,55
2001650 158	3,55
2001650 162	3,55
2001650 163	3,55
2001650 168	4,35



TECHNICAL FEATURES

- 1 Single diamond pattern chain
- 2 Simple link cross chain
- 3 Traditional fitting system, with internal side chain
- Chain made in special alloy steel with D-shaped cross-sections of 3,55 mm and 4,35 mm
- Tensioning by side chain and tightening lever
- Packaging: 1 pair per sack

König Unitour



The ladder snow chain for gardening vehicles and manual snow blowers



ITEM NUMBER	WIRE mm
2001670 004	3,55
2001670 006	3,55
2001670 008	3,55
2001670 119	3,55
2001670 121	3,55
2001670 122	3,55
2001670 125	3,55
2001670 127	3,55
2001670 129	3,55
2001670 131	3,55
2001670 133	3,55
2001670 136	3,55
2001670 137	3,55
2001670 139	3,55
2001670 141	3,55
2001670 158	3,55
2001670 163	4,35






TECHNICAL FEATURES

- 1 Ladder pattern chain
- 2 Simple link cross chain
- 3 Traditional fitting system, with internal side chain
- Chain made in special alloy steel with D-shaped cross-sections of 3,55 mm and 4,35 mm
- Tensioning by side chain and tightening lever
- Packaging: 1 pair per sack

Consumer fitting guide by tyre size

PLEASE NOTE: The info in this fitting guide are referred to the matching of tyre size and chain size only and are not considering in any case the vehicle's features. Discover the correct snow chain model/size for your vehicle on our "Fit Guide" at www.konigchain.com.



1 Select, in the table heading, the right category for your vehicle. **2** Check your tyre size in the first two columns (sorted by rim dimension). **3** In the columns on the right hand side you will find your snow chain size and you can choose, among the suggested snow chain models, the one most suitable for your needs.

TYRE SIZE		PASSENGER CARS										SUVs			SUVs - VAN - MOTORHOMES		
		KÖNIG EASY-FIT CU-9	KÖNIG EASY-FIT CU-10	KÖNIG K-SUMMIT	KÖNIG K-SLIM	KÖNIG CB-7	KÖNIG CS-9	KÖNIG CL-10	KÖNIG CG-9	KÖNIG CD-9	KÖNIG CB-12	KÖNIG EASY-FIT SUV	KÖNIG K-SUMMIT XL	KÖNIG K-SUMMIT XXL	KÖNIG XG-12 PRO	KÖNIG XD-16	KÖNIG XB-16
145-	10																
5.00-																	
125-	12																
4.00-																	
5.00-																	
135/80-																	
145/80-								020	020	020	020						
155/80-								030	030	030	030						
145/70-										010							
155/70-								020	020	020	020						
165/70-								030	030	030	030						
165/60-										015							
135/80-	13							020	020	020	020						
145/80-								030	030	030	030						
155/80-								040	040	040	040						
165/80-		050	050				050	050	050	050	050						
175/80-		060	060	K12	060	060	060	060	060	060	060						
185/80-				K22													
195/80-				K23													
205/80-				K33													
175/75-				K11													
185/75-				K12													
195/75-				K22													
205/75-				K23													
135/70-										015							
145/70-								020	020	020	020						
155/70-								030	030	030	030						
165/70-								040	040	040	040						
175/70-		050	050				050	050	050	050	050						
185/70-		060	060	K11	060	060	060	060	060	060	060						
195/70-		070	070	K12	070	070	070	070	070	070	070						
205/70-		080	080	K22	080	080	080	080	080	080	080						
155/65-								020	020	020	020						
165/65-								030	030	030	030						
175/65-								040	040	040	040						
185/65-		050	050				050	050	050	050	050						
195/65-		060	060	K11	060	060	060	060	060	060	060						
205/65-				K11													
145/60-										010							
175/60-								030	030	030	030						
185/60-								040	040	040	040						
205/60-		060	060		060	060	060	060	060	060	060						
215/60-				K11													
225/60-				K12													
235/60-				K12													
165/55-								020	020	020	020						
185/55-								035	035	035	035						
195/55-								040	040	040	040						
6.50-	14														200		
6.70-														220	220	220	

TYRE SIZE		PASSENGER CARS										SUVs			SUVs - VAN - MOTORHOMES		
		KÖNIG EASY-FIT CU-9	KÖNIG EASY-FIT CU-10	KÖNIG K-SUMMIT	KÖNIG K-SLIM	KÖNIG CB-7	KÖNIG CS-9	KÖNIG CL-10	KÖNIG CG-9	KÖNIG CD-9	KÖNIG CB-12	KÖNIG EASY-FIT SUV	KÖNIG K-SUMMIT XL	KÖNIG K-SUMMIT XXL	KÖNIG XG-12 PRO	KÖNIG XD-16	KÖNIG XB-16
7.00-	14													210	210	210	
7.50-														230	230	230	
135/80-								030	030	030	030						
145/80-								040	040	040	040						
155/80-		050	050					050	050	050	050						
165/80-		060	060		060	060	060	060	060	060	060				190		
175/80-		070	070	K23	070	070	070	070	070	070	070				200		
185/80-		080	080	K33	080	080	080	080	080	080	080			210	210	210	
195/80-		090	090	K34	090	090	090	090	090	090	090			220	220	220	
205/80-				K44										225	225	225	
215/80-				K45										230	230	230	
165/75-		060	060		060	060	060	060	060	060	060				190		
175/75-		065	065	K22	065	065	065	065	065	065	065				190		
185/75-				K23										210	210	210	
195/75-				K33										220	220	220	
205/75-				K34										225	225	225	
215/75-				K44										230	230	230	
225/75-				K45													
155/70-								040	040	040	040						
165/70-		050	050					050	050	050	050						
175/70-		060	060	K12	060	060	060	060	060	060	060						
185/70-		065	065	K22	065	065	065	065	065	065	065						
195/70-		080	080	K22	080	080	080	080	080	080	080			210	210	210	
205/70-		090	090	K23	090	090	090	090	090	090	090						
215/70-		100	100	K33	100	100	100	100	100	100	100						
225/70-				K34													
235/70-				K44													
155/65-								035	035	035							
165/65-								040	040	040	040						
175/65-		050	050					050	050	050	050						
185/65-		060	060	K11	060	060	060	060	060	060	060				190		
195/65-		070	070	K12	070	070	070	070	070	070	070						
205/65-		080	080	K22	080	080	080	080	080	080	080						
215/65-				K23													
165/60-								035	035	035							
175/60-								045	045	045							
185/60-		050	050					050	050	050	050						
195/60-		060	060	K11	060	060	060	060	060	060	060						
205/60-		070	070	K12	070	070	070	070	070	070	070						
215/60-				K12													
225/60-				K22	085												
235/60-		095	095	K23	095	095	095	095	095	095	095						
245/60-				K33													
265/60-				K34													
165/55-								035	035	035							
185/55-								045	045	045							
195/55-		050	050					050	050	050	050						
205/55-		065	065		065	065	065	065	065	065	065						
215/55-				K11													
225/55-		080	080	K12	080	080	080	080	080	080	080						
175/50-								030	030	030	030						
125-	15							040	040	040	040						
155-					060	060	060	060	060	060	060						
8.40-														247	247	247	
9-														250	250	250	
10-														255	255	255	
6.40-														210	210	210	
6.70-														230	230	230	
7.00-														240	240	240	
7.50-														250	250	250	
175/80-				K34													
185/80-				K44										220	220	220	
195/80-				K45	100	100	100	100	100	100	100	225		225	225	225	
205/80-																	
215/80-													K55				
225/80-													K56	K66	240	240	240
175/75-				K23													
185/75-				K33													
195/75-		095	095	K34	095	095	095	095	095	095	095			225	225	225	

PLEASE NOTE: The info in this fitting guide are referred to the matching of tyre size and chain size only and are not considering in any case the vehicle's features. Discover the correct snow chain model/size for your vehicle on our "Fit Guide" at www.konigchain.com.

TYRE SIZE		PASSENGER CARS										SUVs			SUVs - VAN - MOTORHOMES					
		KÖNIG EASY-FIT CU-9	KÖNIG EASY-FIT CU-10	KÖNIG K-SUMMIT	KÖNIG K-SLIM	KÖNIG CB-7	KÖNIG CS-9	KÖNIG CL-10	KÖNIG CG-9	KÖNIG CD-9	KÖNIG CB-12	KÖNIG EASY-FIT SUV	KÖNIG K-SUMMIT XL	KÖNIG K-SUMMIT XXL	KÖNIG XG-12 PRO	KÖNIG XD-16	KÖNIG XB-16			
205/75-	15			K44										225			225	225	225	
215/75-				K45										230			230	230	230	
225/75-														240	K55	K66	240	240	240	
235/75-														245	K56	K66	245	245	245	
245/75-																K67				
255/75-														255		K77	255	255	255	
265/75-																	255	255	255	
135/70-								030	030	030	030									
155/70-		050	050				050	050	050	050	050									
175/70-		070	070	K22	070	070	070	070	070	070	070									
185/70-		080	080	K23	080	080	080	080	080	080	080									
195/70-		090	090	K33	090	090	090	090	090	090	090									
205/70-				K34	095	095	095	095	095	095	095		225				220	220	220	
215/70-		100	100	K44	100	100	100	100	100	100	100						225	225	225	
225/70-				K45										230			227	227	227	
235/70-					104	104	104	104	104	104	104			240	K55		230	230	230	
245/70-															K56	K66	240	240	240	
255/70-																K66	247	247	247	
265/70-																K67	250	250	250	
145/65-								035	035	035										
155/65-								045	045	045										
165/65-		055	055						055	055										
175/65-		065	065	K12	060	060	060	060	060	060	060									
185/65-		070	070	K22	070	070	070	070	070	070	070									
195/65-		080	080	K23	080	080	080	080	080	080	080							210	210	210
205/65-		090	090	K33	090	090	090	090	090	090	090							220	220	220
215/65-		095	095	K34	095	095	095	095	095	095	095							225	225	225
225/65-		100	100	K34	100	100	100	100	100	100	100									
165/60-		050	050				050	050	050	050	050									
175/60-		055	055	K11					055	055										
185/60-		065	065	K12	065	065	065	065	065	065	065									
195/60-		070	070	K22	070	070	070	070	070	070	070									
205/60-		080	080	K22	080	080	080	080	080	080	080									
215/60-		090	090	K23	090	090	090	090	090	090	090									
225/60-		095	095	K33	095	095	095	095	095	095	095									
235/60-		100	100	K34	100	100	100	100	100	100	100									
245/60-				K44																
255/60-				K44														240	240	240
275/60-															K55					
165/55-								040	040	040	040									
175/55-		050	050				050	050	050	050	050									
185/55-		060	060	K11	060	060	060	060	060	060	060									
195/55-		065	065	K11	065	065	065	065	065	065	065									
205/55-		075	075	K12	075	075			075	075										
215/55-				K22																
225/55-		090	090	K22	090	090	090	090	090	090	090									
235/55-		095	095	K23	095	095	095	095	095	095	095									
275/55-				K44																
165/50-								030	030	030	030									
175/50-								045	045	045										
185/50-								045	045	045										
195/50-		060	060		060	060	060	060	060	060	060									
205/50-		065	065	K11	065	065	065	065	065	065	065									
215/50-		075	075	K11	075	075			075	075										
225/50-				K12	085															
235/50-				K22																
245/50-				K22																
265/50-				K33																
275/50-				K33																
285/50-				K34																
295/50-				K44																
195/45-		050	050				050	050	050	050	050									
225/45-				K11																
235/45-				K11																
245/45-				K12																
255/45-				K12																
265/45-				K22																
275/45-				K22																
285/40-				K12																

PLEASE NOTE: The info in this fitting guide are referred to the matching of tyre size and chain size only and are not considering in any case the vehicle's features. Discover the correct snow chain model/size for your vehicle on our "Fit Guide" at www.konigchain.com.

TYRE SIZE	PASSENGER CARS										SUVs			SUVs - VAN - MOTORHOMES		
	KÖNIG EASY-FIT CU-9	KÖNIG EASY-FIT CU-10	KÖNIG K-SUMMIT	KÖNIG K-SLIM	KÖNIG CB-7	KÖNIG CS-9	KÖNIG CL-10	KÖNIG CG-9	KÖNIG CD-9	KÖNIG CB-12	KÖNIG EASY-FIT SUV	KÖNIG K-SUMMIT XL	KÖNIG K-SUMMIT XXL	KÖNIG XG-12 PRO	KÖNIG XD-16	KÖNIG XB-16
30x9.50-	15													247	247	247
31x10.50-														255	255	255
31x11.50-														265	265	265
32x11.50-														267	267	267
185-	16													230	230	230
6.00-														230	230	230
6.40-														230	230	230
6.50-														240	240	240
215/85-														245	245	245
225/85-																
235/85-																
175/80-			K44											265	265	265
195/80-														220	220	220
205/80-														230	230	230
215/80-														240	240	240
225/80-														245	245	245
235/80-																
175/75-			K34											250	250	250
185/75-			K44											220	220	220
195/75-			K45											225	225	225
195/75*			K45											227	227	227
205/75-														225	225	225
215/75-														225	225	225
225/75-														235	235	235
235/75-														240	240	240
245/75-														245	245	245
255/75-														250	250	250
265/75-														255	255	255
175/70-			K33											240	240	240
195/70-			K44											245	245	245
205/70-			K45											250	250	250
215/70-														255	255	255
225/70-																
235/70-														267	267	267
245/70-																
255/70-																
265/70-																
275/70-																
185/65-			K33													
195/65-			K34											225	225	225
205/65-			K34											230	230	230
215/65-			K44											235	235	235
225/65-			K45													
235/65-														245	245	245
235/65**														240	240	240
255/65-														247	247	247
265/65-																
285/65-																
175/60-			K22													
185/60-			K22													
195/60-			K23													
205/60-			K33													
215/60-			K34													
215/60***			K34											225	225	225
215/60°			K34											227	227	227
225/60-			K44											230	230	230
235/60-			K44											235	235	235
245/60-			K45													
255/60-																
275/60-																
175/55-			K12													
185/55-			K12													
185/55°°			K12													
195/55-			K22													
205/55-			K23													
215/55-			K23													
225/55-			K33													
235/55-			K34													
245/55-			K44													

* Continental Vanco 2 - Kleber Transpro - Michelin Agilis Alpin ** Goodyear Cargo Ultra Grip 2 *** Bridgestone Duravis
 ° Continental Conti Premium Contact 2 - Michelin Primacy Energy Saver °° Pirelli Winter 190

TYRE SIZE		PASSENGER CARS										SUVs			SUVs - VAN - MOTORHOMES		
		KÖNIG EASY-FIT CU-9	KÖNIG EASY-FIT CU-10	KÖNIG K-SUMMIT	KÖNIG K-SLIM	KÖNIG CB-7	KÖNIG CS-9	KÖNIG CL-10	KÖNIG CG-9	KÖNIG CD-9	KÖNIG CB-12	KÖNIG EASY-FIT SUV	KÖNIG K-SUMMIT XL	KÖNIG K-SUMMIT XXL	KÖNIG XG-12 PRO	KÖNIG XD-16	KÖNIG XB-16
255/55-	16			K44													
185/50-		060	060	K11	060	060	060	060	060	060	060						
195/50-		070	070	K12	070	070	070	070	070	070	070						
205/50-		075	075	K12	075	075			075	075							
215/50-		090	090	K22	090	090	090	090	090	090	090						
225/50-		095	095	K23	095	095	095	095	095	095	095						
235/50-		100	100	K23	100	100	100	100	100	100	100						
245/50-				K33													
255/50-				K34													
265/50-				K34													
295/50-				K45													
195/45-		060	060		060	060	060	060	060	060	060						
205/45-		065	065	K11	065	065	065	065	065	065	065						
215/45-		075	075	K12	075	075			075	075							
225/45-				K12	085												
235/45-				K22													
245/45-		100	100	K22	100	100	100	100	100	100	100						
255/45-				K23													
215/40-		065	065		065	065	065	065	065	065	065						
225/40-				K11													
245/40-				K12													
255/40-				K12													
265/40-				K22													
275/40-				K22													
255/35-				K11													
6.50-	17														245	245	245
225/75-																	
235/75-																	
245/75-												267			267	267	267
255/75-															266		
185/70-				K45													
205/70-													K55	K66			
215/70-													K56	K66			
225/70-											247			K67	247	247	247
235/70-														K67	250	250	250
245/70-												255		K77	255	255	255
255/70-														K77			
265/70-											267				267	267	267
185/65-				K34													
205/65-				K45							235				235	235	235
215/65-		104	104		104	104	104	104	104	104	240	K55			235	235	235
225/65-								105	105		245	K56	K66		245	245	245
235/65-											247		K66		247	247	247
245/65-											250		K67		250	250	250
255/65-											255		K67		255	255	255
265/65-											265		K77		265	265	265
275/65-													K77		267	267	267
285/65-																266	
185/60-				K33													
205/60-				K44													
215/60-		103	103	K44	103	103	103	103	103	103	235				235	235	235
225/60-		104	104	K45	104	104	104	104	104	104	240				240	240	240
235/60-								105	105		245	K55			245	245	245
245/60-													K56	K66			
255/60-											255			K66	255	255	255
265/60-														K67			
275/60-														K67	265	265	265
285/60-														K77			
175/55-				K22													
205/55-		097	097	K33	097	097	097	097	097	097	097						
215/55-		100	100	K34	100	100	100	100	100	100	100				227	227	227
225/55-		103	103	K44	103	103	103	103	103	103					230	230	230
235/55-		104	104	K45	104	104	104	104	104	104	240				240	240	240
245/55-			105	K45				105	105								
255/55-												247	K55		247	247	247
275/55-													K56	K66	255	255	255
205/50-		090	090	K23	090	090	090	090	090	090	090						
215/50-		095	095	K33	095	095	095	095	095	095	095						
215/50-*		100	100	K33	100	100	100	100	100	100	100						

* Kleber Krisalp - **PLEASE NOTE:** The info in this fitting guide are referred to the matching of tyre size and chain size only and are not considering in any case the vehicle's features. Discover the correct snow chain model/size for your vehicle on our "Fit Guide" at www.konigchain.com.

TYRE SIZE		PASSENGER CARS										SUVs			SUVs - VAN - MOTORHOMES			
		KÖNIG EASY-FIT CU-9	KÖNIG EASY-FIT CU-10	KÖNIG K-SUMMIT	KÖNIG K-SLIM	KÖNIG CB-7	KÖNIG CS-9	KÖNIG CL-10	KÖNIG CG-9	KÖNIG CD-9	KÖNIG CB-12	KÖNIG EASY-FIT SUV	KÖNIG K-SUMMIT XL	KÖNIG K-SUMMIT XXL	KÖNIG XG-12 PRO	KÖNIG XD-16	KÖNIG XB-16	
225/50-	17	100	100	K33	100	100	100	100	100	100	100				227	227	227	
235/50-		102	102	K34	102	102	102	102	102	102	102							
245/50-				K44														
255/50-				K44														
275/50-													K55					
195/45-				K12														
205/45-		080	080	K22	080	080	080	080	080	080	080							
215/45-		090	090	K22	090	090	090	090	090	090	090							
225/45-		095	095	K23	095	095	095	095	095	095	095							
235/45-		100	100	K23	100	100	100	100	100	100	100							
245/45-		102	102	K33	102	102	102	102	102	102	102							
255/45-		104	104	K34	104	104	104	104	104	104	104							
265/45-				K34														
275/45-				K44														
195/40-				K11														
205/40-		070	070	K11	070	070	070	070	070	070	070							
215/40-		080	080	K12	080	080	080	080	080	080	080							
225/40-				K12														
235/40-		090	090	K22	090	090	090	090	090	090	090							
245/40-		097	097	K23	097	097	097	097	097	097	097							
255/40-		102	102	K23	102	102	102	102	102	102	102							
265/40-				K23	102	102	102	102	102	102	102							
275/40-				K33	104	104	104	104	104	104	104							
285/40-				K34														
295/40-				K34														
225/35-		075	075	K11	075	075			075	075								
245/35-				K12														
255/35-				K12														
265/35-				K22														
275/35-				K22														
7-	17.5														240	240	240	
8-															250	250	250	
205/75-															247	247	247	
215/75-															250	250	250	
205/65-															240	240	240	
255/70-	18															266		
225/65-												250		K67	250	250	250	
235/65-												255		K67	255	255	255	
255/65-														K77				
265/65-															267	267	267	
225/60-								105	105			245	K56	K66	245	245	245	
235/60-												247		K66	247	247	247	
245/60-												250		K67	250	250	250	
255/60-												265		K67	265	265	265	
265/60-												265		K77	265	265	265	
275/60-														K77	267	267	267	
285/60-																266		
205/55-				K44														
215/55-				K45	103	103	103	103	103	103	103	235			235	235	235	
225/55-		104	104	K45	104	104	104	104	104	104	104	240			240	240	240	
235/55-												245	K55		245	245	245	
245/55-													K56	K66				
255/55-												255		K66	255	255	255	
265/55-														K67				
285/55-														K77	267	267	267	
215/50-		103	103	K34	102	102	102	102	102	102	102							
225/50-		104	104	K44	104	104	104	104	104	104	104							
235/50-				K45												240	240	240
245/50-			105	K45					105	105						245	245	245
255/50-														K55				
265/50-														K56	K66			
275/50-														K56	K66			
285/50-															K66	255	255	255
205/45-				K23														
215/45-		097	097	K33	097	097	097	097	097	097	097							
225/45-		100	100	K34	100	100	100	100	100	100	100							
235/45-		102	102	K34	102	102	102	102	102	102	102							
245/45-		104	104	K44	104	104	104	104	104	104	104					235	235	235
255/45-		104	104	K44	104	104	104	104	104	104	104	240				240	240	240

PLEASE NOTE: The info in this fitting guide are referred to the matching of tyre size and chain size only and are not considering in any case the vehicle's features. Discover the correct snow chain model/size for your vehicle on our "Fit Guide" at www.konigchain.com.

TYRE SIZE		PASSENGER CARS										SUVs			SUVs - VAN - MOTORHOMES					
		KÖNIG EASY-FIT CU-9	KÖNIG EASY-FIT CU-10	KÖNIG K-SUMMIT	KÖNIG K-SLIM	KÖNIG CB-7	KÖNIG CS-9	KÖNIG CL-10	KÖNIG CG-9	KÖNIG CD-9	KÖNIG CB-12	KÖNIG EASY-FIT SUV	KÖNIG K-SUMMIT XL	KÖNIG K-SUMMIT XXL	KÖNIG XG-12 PRO	KÖNIG XD-16	KÖNIG XB-16			
265/45-	18			K45																
275/45-				K45																
285/45-																				
295/45-														K55						
205/40-				K22	085									K56	K66					
215/40-			095	095	K23	095	095	095	095	095	095	095								
225/40-			097	097	K23	097	097	097	097	097	097	097								
235/40-			100	100	K33	100	100	100	100	100	100	100								
245/40-			102	102	K33	102	102	102	102	102	102	102								
255/40-			104	104	K34	104	104	104	104	104	104	104								
265/40-					K34															
275/40-					K44															
285/40-					K44					117										
295/40-					K45															
215/35-					K12															
225/35-			090	090	K22	090	090	090	090	090	090	090								
235/35-					K22															
245/35-			097	097	K22	097	097	097	097	097	097	097								
255/35-		102	102	K23	102	102	102	102	102	102	102									
265/35-				K23																
275/35-				K33	103	103	103	103	103	103	103									
285/35-				K33																
295/35-				K34																
225/30-				K11																
255/30-				K12																
265/30-				K22																
285/30-				K22																
295/30-				K23							104									
235/65-	19																			
225/55-								105	105					247	K56	K66	247	247	247	
235/55-														250		K66	250	250	250	
245/55-																	255	255	255	
255/55-														265		K67	265	265	265	
265/55-														267		K77	267	267	267	
275/55-																K77		266		
235/50-														247	K55	K66	247	247	247	
245/50-														250		K66	250	250	250	
255/50-														255		K66	255	255	255	
265/50-														265		K67	265	265	265	
275/50-																K67				
225/45-			104	104	K44	104	104	104	104	104	104	104		240			235	235	235	
235/45-			104	104	K45	104	104	104	104	104	104	104		240			240	240	240	
245/45-				105	K45				105	105				245			245	245	245	
255/45-														247	K55		245	245	245	
265/45-															K56	K66				
275/45-															K56	K66	255	255	255	
285/45-																K66	265	265	265	
295/45-																K67				
225/40-			102	102	K34	102	102	102	102	102	102	102					230	230	230	
235/40-			102	102	K34	102	102	102	102	102	102	102								
245/40-			103	103	K44	103	103	103	103	103	103									
255/40-					K44							106		240			240			
265/40-					K45															
275/40-					K45															
285/40-										117								247	247	247
295/40-															K55					
215/35-															K55	K66				
225/35-					K23															
235/35-					K23															
235/35-			100	100	K33	100	100	100	100	100	100	100								
245/35-			102	102	K33	102	102	102	102	102	102	102								
255/35-			104	104	K34	104	104	104	104	104	104	104								
265/35-					K34							104	104							
275/35-					K44							106								
285/35-				K44							117									
295/35-				K44																
225/30-				K22																
245/30-				K23																
255/30-		102	102	K23			102	102	102	102	102									
265/30-				K23																

PLEASE NOTE: The info in this fitting guide are referred to the matching of tyre size and chain size only and are not considering in any case the vehicle's features. Discover the correct snow chain model/size for your vehicle on our "Fit Guide" at www.konigchain.com.

TYRE SIZE		PASSENGER CARS										SUVs			SUVs - VAN - MOTORHOMES				
		KÖNIG EASY-FIT CU-9	KÖNIG EASY-FIT CU-10	KÖNIG K-SUMMIT	KÖNIG K-SLIM	KÖNIG CB-7	KÖNIG CS-9	KÖNIG CL-10	KÖNIG CG-9	KÖNIG CD-9	KÖNIG CB-12	KÖNIG EASY-FIT SUV	KÖNIG K-SUMMIT XL	KÖNIG K-SUMMIT XXL	KÖNIG XG-12 PRO	KÖNIG XD-16	KÖNIG XB-16		
275/30-	19			K33	104	104	104	104	104	104									
285/30-				K33															
295/30-				K34															
235/55-	20												255		K77	255	255	255	
255/55-															K77				
245/50-													255		K67		255	255	
255/50-													265		K67	265	265	265	
265/50-													267		K77	267	267	267	
275/50-															K77		266		
285/50-																	266		
235/45-														K55	K66	247	247	247	
245/45-									117				250	K56	K66	250	250	250	
255/45-													255		K66	255			
265/45-													265		K67	265	265	265	
275/45-															K67	265	265	265	
285/45-															K77				
295/45-															K77				
305/45-															K77				
225/40-				K44															
235/40-				K45															
245/40-				K45				105	105				247			245	245	245	
255/40-									117				247	K55		247	247	247	
265/40-														K55	K66				
275/40-														K56	K66	255	255	255	
285/40-															K66				
295/40-															K66	265	265	265	
225/35-				K34															
245/35-				K44	104	104													
255/35-				K44															
265/35-				K45					105	105									
275/35-				K45						117							247	247	247
285/35-														K55					
295/35-														K55					
315/35-															K66	265	265	265	
225/30-				K23															
235/30-				K33															
245/30-				K33															
255/30-				K34															
265/30-				K34	104	104		104	104	104	104								
275/30-				K34															
285/30-				K44					105	105									
295/30-				K44															
255/50-	21														K77				
265/45-													265		K77	265	265	265	
275/45-															K77				
285/45-															K77				
255/40-															K66				
265/40-													265		K67	265	265	265	
275/40-															K67				
285/40-															K67				
295/40-															K77				
315/40-															K77				
245/35-				K45															
255/35-																			
275/35-														K55					
285/35-														K56	K66				
295/35-														K56	K66				
295/35-															K66	265	265	265	
275/30-				K45															
285/30-				K45															
325/30-															K66				
275/40-	22														K77				
265/35-															K66				
275/35-															K67				
285/35-															K67				
265/30-														K55	K66				
285/30-														K56	K66				
295/30-														K56	K66				
295/25-														K55					

PLEASE NOTE: The info in this fitting guide are referred to the matching of tyre size and chain size only and are not considering in any case the vehicle's features. Discover the correct snow chain model/size for your vehicle on our "Fit Guide" at www.konigchain.com.

1. Select, in the table heading, the right category for your vehicle.

TYRE SIZE		SNOW REM.	SNOW REMOVER / TRACTOR				TRACTOR		SPECIAL VEHICLES			
		KÖNIG SUPER IMPACT	KÖNIG IMPACT PLUS	KÖNIG IMPACT	KÖNIG DRS	KÖNIG DR	KÖNIG SUPERTRACTOR	KÖNIG AGROTRACTOR	KÖNIG SUPER POLAR	KÖNIG RALLYE Q	KÖNIG RALLYE	KÖNIG UNITOUR
3.00- 4.00- 4.10-	4										116 118	119
11 x 4.00-	5										115	
3.50- 4.00- 4.10-	6										121 120 124	121 125

3. In the columns on the right hand side you will find your snow chain size and you can choose, among the suggested snow chain models, the one most suitable for your needs.

TYRE SIZE		SNOW REM.	SNOW REMOVER / TRACTOR				TRACTOR		SPECIAL VEHICLES			
		KÖNIG SUPER IMPACT	KÖNIG IMPACT PLUS	KÖNIG IMPACT	KÖNIG DRS	KÖNIG DR	KÖNIG SUPERTRACTOR	KÖNIG AGROTRACTOR	KÖNIG SUPER POLAR	KÖNIG RALLYE Q	KÖNIG RALLYE	KÖNIG UNITOUR
3.00- 4.00- 4.10-	4										116 118	119
11 x 4.00-	5										115	
3.50- 4.00- 4.10- 6-	6										121 120 124	121 125
4.10/3.50- 4.10/3.50- Snow Pro											119	122
13 x 4.00- 13 x 4.00- Carlisle x trac											121 119	121
13 x 4.10- 13 x 5.00- 13 x 6.00-											121 123 151	
14 x 4.0- 14 x 5.00- 15 x 5.00- 15 x 6.00-											114 114 151 124	
15 x 6.00- Carlisle Turf Master											152	
15 x 6.50- 16 x 5.00-	7										124 124	
3.50- 16 x 6- 16 x 6.50- 16 x 7.50- 17 x 8.00- 18 x 6.50- 18 x 7- 18 x 7- Superelastic	8										128 128 449 130 165 130	127 129 136 137
18 x 7.00- 18 x 7.50- 18 x 8.50- 18 x 9.50- 19 x 7- 20 x 8.00- 20 x 10.00- 21 x 10- 21 x 11.00- 22 x 9- 22 x 10.00- 22 x 11- 4.00-											131 131 453 450 457 148 461 144 461 461 467	131 131 141 142 135 132

TYRE SIZE		OFFROAD			BUS	BUS / TRUCK			TRUCK					
		KÖNIG POLAR HD	KÖNIG POLAR	KÖNIG RALLYE	KÖNIG COACH MASTER	KÖNIG POLAR PRO	KÖNIG RALLYE PRO	KÖNIG T2 PRO	KÖNIG POLAR PRO D	KÖNIG JUMBO PRO	KÖNIG TM-7	KÖNIG UNITOUR	KÖNIG CINGOLI X-PRESS PLUS	KÖNIG CINGOLI
4.00- Trak	8													
4.50-														
4.80-														
4.80/4.00-														
5.00														
150/75-														
180/70-	9													
21 x 8-														
20 x 10-														
20 x 11.00-														
22 x 10-														
22 x 11.00-														
6.00-	10													
200/75-														
3.50-														
4.00-														
4.50-														
6.50-														
6.50- Superelastic														
7.50-														
4.00- Trak														
4.0-														
4.0- Mitas														
4.50- Trak														
5.00- Trak														
18 x 8.50-														
20 x 8.00-														
20 x 10.00-														
21 x 7-														
21 x 8.00-														
22 x 8-														
22 x 10-														
22 x 11-														
22 x 12.00-														
23 x 7.00-														
23 x 9-														
24 x 9.50-														
24 x 11.00-														
25 x 10-														
25 x 11-														
25 x 12-														
20.5/8.0-														
100/90-														
230/75-														
195/55-														
200/50-														
205/50-	11													
22 x 9-														
24 x 9-														
24 x 10.00-	12													
5.00- Trak														
6.00-														
7.00-														
7.00- Deestone														
7.00- Superelastic														
5.70-														
6-														
6.5/80-														
10.0/80-														
11.0/65-														
23 x 8.50-														
23 x 10-														
23 x 10- Superelastic														
23 x 10.50-														
24 x 8.50-			205	205										
24 x 12.00-														
24 x 13.00-														
25 x 8.00-														
25 x 10.00-														
25 x 11-														

258

TYRE SIZE		SNOW REM.	SNOW REMOVER / TRACTOR				TRACTOR		SPECIAL VEHICLES			
		KÖNIG SUPER IMPACT	KÖNIG IMPACT PLUS	KÖNIG IMPACT	KÖNIG DRS	KÖNIG DR	KÖNIG SUPERTRACTOR	KÖNIG AGROTRACTOR	KÖNIG SUPER POLAR	KÖNIG RALLYE Q	KÖNIG RALLYE	KÖNIG UNITOUR
4.00- Trak	8									133	133	
4.50-											004	
4.80-										134		
4.80/4.00-										133	133	
5.00										138		
150/75-								128				
180/70-								130				
21 x 8-	9							140				
20 x 10-									459			
20 x 11.00-									461			
22 x 10-								167	461			
22 x 11.00-									467			
6.00-								142				
200/75-								140				
3.50-	10										004	
4.00-											006	
4.50-											008	
6.50-								160				
6.50- Superelastic								161				
7.50-								169				
4.00- Trak										139	139	
4.0-										139	139	
4.0- Mitas										143		
4.50- Trak										157		
5.00- Trak										157		
18 x 8.50-								131		131	131	
20 x 8.00-									457	142		
20 x 10.00-								148		149		
21 x 7-									457			
21 x 8.00-									458			
22 x 8-									464			
22 x 10-								167	461			
22 x 11-									467			
22 x 12.00-									470			
23 x 7.00-									464			
23 x 9-								150				
24 x 9.50-									480			
24 x 11.00-									476			
25 x 10-									476			
25 x 11-									479			
25 x 12-									481			
20.5/8.0-								140				
100/90-											004	
230/75-								150				
195/55-									453			
200/50-								143				
205/50-											141	
22 x 9-	11								461			
24 x 9-									480			
24 x 10.00-										168		
5.00- Trak	12									158	158	
6.00-								160		158	158	
7.00-								170				
7.00- Deestone								173				
7.00- Superelastic								172				
5.70-								140				
6-										162		
6.5/80-										163	163	
10.0/80-						258						
11.0/65-						253						
23 x 8.50-								178				
23 x 10-								167				
23 x 10- Superelastic									470			
23 x 10.50-								151				
23 x 10.50-								168		168		
24 x 8.50-								151				
24 x 12.00-									479			
24 x 13.00-									483			
25 x 8.00-									473			
25 x 10.00-								171	476			
25 x 11-									479			

TYRE SIZE		OFFROAD			BUS	BUS / TRUCK			TRUCK					
		KÖNIG POLAR HD	KÖNIG POLAR	KÖNIG RALLYE	KÖNIG COACH MASTER	KÖNIG POLAR PRO	KÖNIG RALLYE PRO	KÖNIG T2 PRO	KÖNIG POLAR PRO D	KÖNIG JUMBO PRO	KÖNIG TM-7	KÖNIG UNITOUR	KÖNIG CINGOLI X-PRESS PLUS	KÖNIG CINGOLI
25 x 12.50-	12													
26 x 8-														
26 x 9-														
26 x 10-														
26 x 11-														
26 x 12.00-														
27 x 10-														
28 x 10-														
250/75-														
155/70-														
220/60-														
320/60-								249						
6.70-	13	205	205											
6.50-	14	200	200	200										
6.70-		220	220*	220										
7-		210	210*	210										
7.00-		210	210*	210										
7.50-		230	230*	230										
24 x 8.50-		205	205											
25 x 8.50-		220	220*	220										
26 x 8-														
26 x 10-														
26 x 11-														
26 x 12-														
175/80-		200	200	200										
185/80-		210	210*	210										
195/80-		220	220*	220										
205/80-		225	225*	225										
215/80-		230	230*	230										
185/75-		210	210*	210										
195/75-		220	220*	220										
205/75-		225	225*	225										
215/75-		230	230*	230										
195/70-		210	210*	210										
305/50-														
250-	15							248						
3.00-														
300- Continental IC12														
300- Superelastic														
6.40-		210	210*	210										
6.70-		230	230*	230										
7.00-		240	240*	240										
7.00- Solideal														
7.50-		250	250*	250										
8.15- Superelastic														
8.25-								270	270	270	270		270	
8.25- Superelastic														
8.40-		247	247	247										
9-		250	250*	250										
10-		255	255	255										
6.5/80-														
185/80-		220	220*	220										
195/80-		225	225*	225										
215/80-		240	240*	240										
195/75-		225	225*	225										
205/75-		225	225*	225										
215/75-		230	230*	230										
225/75-		240	240*	240										
235/75-		245	245*	245										
255/75-		255	255	255										
265/75-		255	255	255										
270/75- Nokian TRI-2								258						
315/75-								296	296					
195/70-		220	220*	220										
205/70-		225	225*	225										
215/70-		227	227*											
225/70-		230	230*	230										
235/70-		240	240*	240										
250/70-								248						
255/70-		247	247	247										

* Available also in König Polar D for twin wheels

TYRE SIZE		SNOW REM.	SNOW REMOVER / TRACTOR				TRACTOR		SPECIAL VEHICLES			
		KÖNIG SUPER IMPACT	KÖNIG IMPACT PLUS	KÖNIG IMPACT	KÖNIG DRS	KÖNIG DR	KÖNIG SUPERTRACTOR	KÖNIG AGROTRACTOR	KÖNIG SUPER POLAR	KÖNIG RALLYE Q	KÖNIG RALLYE	KÖNIG UNITOUR
25 x 12.50-	12									481		
26 x 8-										480		
26 x 9-										476		
26 x 10-										479		
26 x 11-										481		
26 x 12.00-							253			180	482	
27 x 10-										178		
28 x 10-											484	
250/75-										178		
155/70-										020		
220/60-											461	
320/60-												
6.70-		13										
6.50-	14											
6.70-												
7-												
7.00-												
7.50-												
24 x 8.50-										151		
25 x 8.50-												
26 x 8-											480	
26 x 10-											479	
26 x 11-											481	
26 x 12-											482	
175/80-												
185/80-												
195/80-												
205/80-												
215/80-												
185/75-												
195/75-												
205/75-												
215/75-												
195/70-												
305/50-										482		
250-	15								248			
3.00-									287			
300- Continental IC12									285			
300- Superelastic									285			
6.40-												
6.70-												
7.00-										248		
7.00- Solideal										241		
7.50-										251		
8.15- Superelastic										246		
8.25-							270					
8.25- Superelastic										252		
8.40-												
9-												
10-												
6.5/80-										185		
185/80-												
195/80-												
215/80-												
195/75-												
205/75-												
215/75-												
225/75-												
235/75-												
255/75-												
265/75-												
270/75- Nokian TRI-2							258					
315/75-							296					
195/70-												
205/70-												
215/70-						259			246			
225/70-												
235/70-												
250/70-												
255/70-												

TYRE SIZE		OFFROAD			BUS	BUS / TRUCK			TRUCK						
		KÖNIG POLAR HD	KÖNIG POLAR	KÖNIG RALLYE	KÖNIG COACH MASTER	KÖNIG POLAR PRO	KÖNIG RALLYE PRO	KÖNIG T2 PRO	KÖNIG POLAR PRO D	KÖNIG JUMBO PRO	KÖNIG TM-7	KÖNIG UNITOUR	KÖNIG CINGOLI X-PRESS PLUS	KÖNIG CINGOLI	
265/70-	15	250	250*	250											
315/70-															
195/65-			210	210*	210										
205/65-			220	220*	220										
215/65-			225	225*	225										
255/60-			240	240*	240										
320/55-							261								
27 x 8.50-			246	246											
27 x 10.50-															
28 x 9-			245	245*	245										
28 x 12.50-															
29 x 12.00-							263								
29 x 12.50-							263								
29 x 12.50- Goodyear Super Terra Grip										261B°					
29 x 13.50-							264								
30 x 9.50-			247	247	247										
31 x 10.50-			255	255	255										
31 x 11.50-			265	265	265										
31 x 13.50-															
31 x 15.50-							268								
32 x 11.50-		267	267	267											
33 x 10.50-						271	271								
33 x 12.50-						296	296								
33 x 15.50-															
35 x 12.50-						350	350	350	350			350			
36 x 13.50-						360	360								
10.0/75-	15.3					258									
11.5/80-						296	296								
300/80-							296	296							
280/60-	15.5					262	262								
400/60-															
185-	16	230	230*	230										E	
6.00-		230	230*	230										E	
6.40-		230	230*	230										E	
6.50-		240	240*	240										E	
7-		230	230*	230											
7.00-		250	250*	250											
7.50-							260	260	260	260			260		D
8-							249								D
8.25-							270	270	270	270			270		D
9.00-							350	350	350	350			350		
9.5-		265	265	265											
11-															
11.00-							295	295	295	295		295	295		
12.0-							350	350	350	350			350		
12.4-							295	295		295		295	295		
13.6-							300	300**		300		300	300		
9.0/75-		250	250*	250											
255/100-							350	350	350	350			350		
215/85-		245	245*	245											E
235/85-		265	265	265											
255/85-						271	271								
175/80-	220	220*	220												
195/80-	230	230*	230											E	
205/80-	240	240*	240											E	
215/80-	245	245*	245											E	
235/80-	250	250*	250												
250/80-						258									
250/80- Nokian TRI-2						270	270		270			270			
315/80-						350	350								
175/75-	220	220*	220												
185/75-	225	225*	225											E	
195/75-	227	227*												E	
205/75-	235	235	235											E	
215/75-	240	240*	240											E	
225/75-	245	245*	245											E	
245/75-	255	255	255												
250/75- Nokian TRI-2						258									
265/75-	267	267	267												
285/75-						296	296	279							

* Available also in König Polar D for twin wheels

** Available also in König Rallye Pro 8mm

° Special product

TYRE SIZE		SNOW REM.	SNOW REMOVER / TRACTOR				TRACTOR		SPECIAL VEHICLES			
		KÖNIG SUPER IMPACT	KÖNIG IMPACT PLUS	KÖNIG IMPACT	KÖNIG DRS	KÖNIG DR	KÖNIG SUPERTRACTOR	KÖNIG AGROTRACTOR	KÖNIG SUPER POLAR	KÖNIG RALLYE Q	KÖNIG RALLYE	KÖNIG UNITOUR
265/70-	15											
315/70-												
195/65-								352				
205/65-												
215/65-												
255/60-												
320/55-						261						
27 x 8.50-						259		246				
27 x 10.50-						253		178	484			
28 x 9-												
28 x 12.50-								286				
29 x 12.00-						263						
29 x 12.50-						263						
29 x 12.50- Goodyear Super Terra Grip												
29 x 13.50-						264						
30 x 9.50-												
31 x 10.50-												
31 x 11.50-						265						
31 x 13.50-						294						
31 x 15.50-						268						
32 x 11.50-												
33 x 10.50-												
33 x 12.50-						296						
33 x 15.50-				363		363						
35 x 12.50-												
36 x 13.50-				360		360	360					
10.0/75-	15.3					258						
11.5/80-						296						
300/80-						296						
280/60-	15.5					257						
400/60-				363		363		363				
185-	16											
6.00-												
6.40-												
6.50-												
7-												
7.00-												
7.50-							260					
8-												
8.25-							270					
9.00-							298					
9.5-							265					
11-							294					
11.00-												
12.0-												
12.4-												
13.6-												
9.0/75-												
255/100-												
215/85-												
235/85-							265					
255/85-												
175/80-												
195/80-												
205/80-							254					
215/80-												
235/80-												
250/80-							258					
250/80- Nokian TRI-2						270						
315/80-						298						
175/75-												
185/75-												
195/75-												
205/75-												
215/75-												
225/75-						254		241				
245/75-												
250/75- Nokian TRI-2						258						
265/75-						265						
285/75-						296						

TYRE SIZE		OFFROAD			BUS	BUS / TRUCK			TRUCK					
		KÖNIG POLAR HD	KÖNIG POLAR	KÖNIG RALLYE	KÖNIG COACH MASTER	KÖNIG POLAR PRO	KÖNIG RALLYE PRO	KÖNIG T2 PRO	KÖNIG POLAR PRO D	KÖNIG JUMBO PRO	KÖNIG TM-7	KÖNIG UNITOUR	KÖNIG CINGOLI X-PRESS PLUS	KÖNIG CINGOLI
295/75-	16					275	275	275	275			275		
315/75-						280	280							
200/70-		220	220*	220										
215/70-		235	235	235										
225/70-		240	240*	240										
235/70-		247	247	247										
240/70-														
245/70-		250	250*	250										
255/70-		255	255	255										
260/70-						258								
265/70-		265	265	265										
275/70-		267	267	267										
280/70-		265	265	265										
195/65-		220	220*	220										
205/65-		225	225*	225										
215/65-		230	230*	230										
225/65-		235	235	235										
235/65-		245	245*	245										
255/65-		250	250*	250										
285/65-		267	267	267										
300/65-														
320/65-						296	296							
215/60-		225	225*	225										
215/60- Bridgestone Duravis		227	227*											
225/60-		230	230*	230										
235/60-		235	235	235										
315/55-						263								
33 x 12.50-						296	296							
35 x 11.50-						280	280							
35 x 12.50-						350	350	350	350			350		
37 x 12.50-						352								
9.50-	16.5					260	260		260			260		
10-						258								
12-														
35 x 12.50-														
35 x 14.50-														
37 x 12.50-						352								
6.50-	17	245	245*	245										
8.25-						280	280	280				280	C	C
33 x 12.50-						296	296							
35 x 12.50-						350	350	350	350			350		
37 x 12.50-						352								
245/75-		267	267	267										
235/70-		250	250*	250										
245/70-		255	255	255										
265/70-		267	267	267										
285/70-						274	274	279						
315/70-						350	350	350	350			350		
225/65-		245	245*	245										
235/65-		247	247	247										
245/65-		250	250*	250										
255/65-		255	255	255										
265/65-		265	265	265										
275/65-		267	267	267										
285/65-		266												
215/60-		235	235	235										
225/60-		240	240*	240										
235/60-		245	245*	245										
255/60-		255	255	255										
275/60-		265	265	265										
225/55-		230	230	230										
235/55-		240	240*	240										
255/55-		247	247	247										
275/55-		255	255	255										
425/55-						364								
450/55-						364								
15.0/55-														
500/50-														
19.0/45-														
7-	17.5	240	240*	240										E

* Available also in König Polar D for twin wheels

TYRE SIZE		SNOW REM.	SNOW REMOVER / TRACTOR				TRACTOR		SPECIAL VEHICLES			
		KÖNIG SUPER IMPACT	KÖNIG IMPACT PLUS	KÖNIG IMPACT	KÖNIG DR5	KÖNIG DR	KÖNIG SUPERTRACTOR	KÖNIG AGROTRACTOR	KÖNIG SUPER POLAR	KÖNIG RALLYE Q	KÖNIG RALLYE	KÖNIG UNITOUR
295/75-	16					275						
315/75-						296						
200/70-												
215/70-												
225/70-												
235/70-												
240/70-							256					
245/70-												
255/70-												
260/70-							258					
265/70-							265					
275/70-												
280/70-							265					
195/65-												
205/65-												
215/65-												
225/65-												
235/65-												
255/65-												
285/65-							265					
300/65-							266					
320/65-							296					
215/60-												
215/60- Bridgestone Duravis												
225/60-												
235/60-												
315/55-						264						
33 x 12.50-						296						
35 x 11.50-						296						
35 x 12.50-												
37 x 12.50-												
9.50-	16.5					260						
10-		407				258						
12-						294						
35 x 12.50-						298						
35 x 14.50-					363	363						
37 x 12.50-												
6.50-	17											
8.25-												
33 x 12.50-						296						
35 x 12.50-												
37 x 12.50-												
245/75-												
235/70-												
245/70-												
265/70-												
285/70-												
315/70-												
225/65-												
235/65-												
245/65-												
255/65-												
265/65-						265						
275/65-												
285/65-												
215/60-												
225/60-												
235/60-												
255/60-												
275/60-												
225/55-												
235/55-												
255/55-												
275/55-												
425/55-			403		364	364						
450/55-					364	364						
15.0/55-				363	363							
500/50-				500	500	370						
19.0/45-				364	364							
7-	17.5											

TYRE SIZE		OFFROAD			BUS	BUS / TRUCK			TRUCK						
		KÖNIG POLAR HD	KÖNIG POLAR	KÖNIG RALLYE	KÖNIG COACH MASTER	KÖNIG POLAR PRO	KÖNIG RALLYE PRO	KÖNIG T2 PRO	KÖNIG POLAR PRO D	KÖNIG JUMBO PRO	KÖNIG TM-7	KÖNIG UNITOUR	KÖNIG CINGOLI X-PRESS PLUS	KÖNIG CINGOLI	
8-	17.5	250	250*	250										D	
8.5-						260	260	260	260			260		D	
9.5-					902	270	270	270	270			270		D	
10-						274	274	274	275						
14-															
205/75-			247	247	247										D
215/75-			250	250*	250										D
225/75-						901	260	260	260	260		260		D	
235/75-						902	270	270	270	270		270		D	
245/75-						902	270	270	270	270		270		D	
245/70-							270	270	270	270		270		D	
265/70-							274	274	274	275					
205/65-			240	240*	240										
400/55-															
7.00-	18													D	
7.50-						270	270	270	270			270			
9.5-						271	271								
10.5-						277									
12.0-															
12.00-															
12.5-							360	360							
10.5/80-							277								
12.5/80-							360	360							
12.0/75-															
13.0/65-															
15.5/55-															
250/80-							274	274		275					
275/80-							277								
320/80-							358								
335/80-							360	360							
340/80-							360	360							
280/70-															
325/70-															
365/70-							360	360							
405/70-															
225/65-			250	250*	250										
235/65-			255	255	255										
265/65-			267	267	267										
275/65-							274	274	274	275					
285/65-							274	274	274	275					
300/65-							296	296							
320/65-															
340/65-															
225/60-			247	247	247										
235/60-			247	247	247										
245/60-			250	250*	250										
255/60-			265	265	265										
265/60-			265	265	265										
275/60-			267	267	267										
285/60-			266												
215/55-		235	235	235											
225/55-		240	240*	240											
235/55-		245	245*	245											
255/55-		255	255	255											
285/55-		267	267	267											
385/55-															
235/50-		240	240*	240											
245/50-		245	245*	245											
285/50-		255	255	255											
300/50-						296	296								
245/45-		235	235	235											
255/45-		240	240*	240											
12.0/12.5-						358									
33 x 12.50-						296	296								
4.00-	19													E	
235/55-		250	250*	250											
255/55-		265	265	265											
265/55-		267	267	267											
255/50-		255	255	255											
265/50-		265	265	265											

* Available also in König Polar D for twin wheels

TYRE SIZE		SNOW REM.	SNOW REMOVER / TRACTOR				TRACTOR		SPECIAL VEHICLES			
		KÖNIG SUPER IMPACT	KÖNIG IMPACT PLUS	KÖNIG IMPACT	KÖNIG DRS	KÖNIG DR	KÖNIG SUPERTRACTOR	KÖNIG AGROTRACTOR	KÖNIG SUPER POLAR	KÖNIG RALLYE Q	KÖNIG RALLYE	KÖNIG UNITOUR
8-	17.5											
8.5-						260						
9.5-						270						
10-						274						
14-				363		363						
205/75-												
215/75-												
225/75-						260						
235/75-						270						
245/75-						270						
245/70-						270						
265/70-						274						
205/65-												
400/55-				363		363						
7.00-	18											
7.50-						270						
9.5-												
10.5-						277						
12.0-				358		358						
12.00-				370		370	370					
12.5-		401		360		360	360	360				
10.5/80-						277						
12.5/80-		401		360		360	360	360				
12.0/75-						298						
13.0/65-						298						
15.5/55-				363		363						
250/80-						274						
275/80-						277						
320/80-				358		358						
335/80-				360		360	360	360				
340/80-		402		360		360	360					
280/70-						294						
325/70-						298						
365/70-				360		360	360	360				
405/70-		413		522		522	505					
225/65-												
235/65-												
265/65-												
275/65-												
285/65-						274						
300/65-						296						
320/65-						298						
340/65-						298						
225/60-												
235/60-												
245/60-												
255/60-						265						
265/60-												
275/60-												
285/60-						266						
215/55-												
225/55-												
235/55-												
255/55-												
285/55-												
385/55-				363		363						
235/50-												
245/50-												
285/50-												
300/50-						296						
245/45-												
255/45-												
12.0/12.5-				358		358						
33 x 12.50-						296						
4.00-	19											
235/55-												
255/55-												
265/55-												
255/50-												
265/50-												

TYRE SIZE		OFFROAD			BUS	BUS / TRUCK			TRUCK					
		KÖNIG POLAR HD	KÖNIG POLAR	KÖNIG RALLYE	KÖNIG COACH MASTER	KÖNIG POLAR PRO	KÖNIG RALLYE PRO	KÖNIG T2 PRO	KÖNIG POLAR PRO D	KÖNIG JUMBO PRO	KÖNIG TM-7	KÖNIG UNITOUR	KÖNIG CINGOLI X-PRESS PLUS	KÖNIG CINGOLI
245/45-	19	245	245*	245										
275/45-		255	255	255										
285/45-		265	265	265										
225/40-		230	230*	230										
7-	19.5					260	260	260	260			260		D
8-						270	270	270	270			270		D
9-						280	280	280				280	C	C
9.5-						280	280	280				280	C	C
15-														
18-														
245/70-					915	274	274	274	275				C	C
265/70-					903	275	275	275	275			275	C	C
275/70-					911	350	350	350	350			350	C	C
285/70-					911	350	350	350	350			350	C	C
305/70-						295	295	295	295		295	295	B	B
445/65-														
385/55-						364								
425/55-														
435/50-										331				
445/45-										329				
6.50-	20					270	270	270	270			270		D
7.00-						270	270	270	270			270		
7.50-						280	280	280				280	C	C
8.00-						280	280	280				280		
8.25-						290	290	290	290			290	C	C
9.00-						300	300**	300	300		300	300	B	B
10.00-						310	310**	310	310		310	310	A	A
11.00-						320	320**	320	320		320	320	A	A
12.00-						330	330**	330	330		330	330	A	A
14.00-						390	390							
9.5-						277							C	C
10.5-						358								
11.2-						359								
12.4-						370	370**							
12.5-						370	370**		370		370	370	A	A
13.00-						380								
14.5-						520								
14.9-						520								
16-														
16/70-														
17.5/70-														
16.5/75-						795								
225/90-						280	280	280				280		
280/85-						359								
320/85-						370	370**		370		370	370		
365/85-						380								
395/85-						795								
12/80-						310	310**	310	310		310	310	A	A
12.5/80-						370	370**		370		370	370	A	A
13/80-						370	370**		370		370	370	A	A
14/80-						520								
14.75/80-						380								
15.5/80-						795								
260/80-														
275/80-						358								
335/80-						370	370**		370		370	370	A	A
340/80-						370	370**							
355/80-						520								
360/80-						520								
365/80-						520								
340/75-														
375/75-						520								
380/75-						520								
425/75-						795								
260/70-						275	275		275			275		
280/70-						280	280							
300/70-						358								
320/70-						360	360							
360/70-														

* Available also in König Polar D for twin wheels

** Available also in König Rallye Pro 8mm

TYRE SIZE		SNOW REM.	SNOW REMOVER / TRACTOR				TRACTOR		SPECIAL VEHICLES			
		KÖNIG SUPER IMPACT	KÖNIG IMPACT PLUS	KÖNIG IMPACT	KÖNIG DR5	KÖNIG DR	KÖNIG SUPERTRACTOR	KÖNIG AGROTRACTOR	KÖNIG SUPER POLAR	KÖNIG RALLYE Q	KÖNIG RALLYE	KÖNIG UNITOUR
245/45-	19											
275/45-												
285/45-												
225/40-												
7-	19.5					260						
8-						270						
9-												
9.5-												
15-					500		500	370				
18-					510		510		510			
245/70-							274					
265/70-			409				275					
275/70-												
285/70-							298					
305/70-												
445/65-					506		506					
385/55-												
425/55-					500		500	370				
435/50-												
445/45-												
6.50-	20					270						
7.00-						270						
7.50-												
8.00-												
8.25-							290					
9.00-					300		300	300				
10.00-					310		310	310				
11.00-			419		320		320	320				
12.00-			400		330		330	330				
14.00-			410		390		390	390				
16.00-					540		540					
9.5-							277					
10.5-					358		358		358			
11.2-					359		359					
12.4-					370		370	370				
12.5-			405*		370		370	370	370			
13.00-			408		380		380					
14.5-			412		520		520	520	520			
14.9-					520		520	520	520			
16-					505		505	505				
16/70-			411		505		505	505	520			
17.5/70-					510		510					
16.5/75-					795		795	795				
225/90-												
280/85-					359		359					
320/85-					370		370	370	370			
365/85-			424		380		380					
395/85-			441		795		795	795				
12/80-					310		310	310				
12.5/80-			405*		370		370	370	370			
13/80-					370		370	370				
14/80-					520		520	520	520			
14.75/80-					380		380					
15.5/80-					795		795	795				
260/80-							290					
275/80-					358		358		358			
335/80-		405*		370		370	370	370				
340/80-				370		370	370	370				
355/80-				520		520	520					
360/80-		412		520		520	520	520				
365/80-		412		520		520	520	520				
340/75-				370		370	370	370				
375/75-				520		520	520	520				
380/75-		412		520		520	520	520				
425/75-				795		795	795					
260/70-						275						
280/70-						277						
300/70-				358		358		359				
320/70-				360		360	360	360				
360/70-				373		373	373	373				

* Available also in König Rallye Pro 8mm - König Super Impact 423

TYRE SIZE		OFFROAD			BUS	BUS / TRUCK			TRUCK					
		KÖNIG POLAR HD	KÖNIG POLAR	KÖNIG RALLYE	KÖNIG COACH MASTER	KÖNIG POLAR PRO	KÖNIG RALLYE PRO	KÖNIG T2 PRO	KÖNIG POLAR PRO D	KÖNIG JUMBO PRO	KÖNIG TM-7	KÖNIG UNITOUR	KÖNIG CINGOLI X-PRESS PLUS	KÖNIG CINGOLI
375/70	20													
380/70-														
400/70-														
405/70-														
455/70-														
275/65-						350	350	350	350			350		
340/65-														
420/65-														
440/65-														
475/65-														
275/60-													279	
235/55-		255	255	255										
275/55-						274	274	274						
255/50-		265	265	265										
265/50-		267	267	267										
275/45-		265	265	265										
500/45-														
255/40-		247	247	247										
275/40-		255	255	255										
38 x 14.00-						360	360							
41 x 14.00-														
44 x 18.00-						790								
17.5 x 65-														
525/65-	20.5													
295/35-	21	265	265	265										
9.5-	22					290								
11.00-						330	330**	330	330		330	330	A	A
8-	22.5					280	280	280				280	C	C
9-						290	290	290	290			290	C	C
10-						300	300**	300	300		300	300	B	B
11-						310	310**	310	310		310	310	A	A
11- Michelin XDY 3						310	310**	310	310		310	310	A	A
12-						370	370**	370	370		370	370	A	A
12- Michelin XZY 2						371	371	371				371	A	A
12- Michelin XDE 2+						371	371	371				371	A	A
13-						330	330**	330	330		330	330	A	A
15-						520								
15- Michelin XF														
16.5-						525								
18-						530								
12/80-						370	370**	370	370		370	370	A	A
13/75-						370	370**	370	370		370	370		
11/70-						300	300**	300	300		300	300		
275/80-					907	310	310**	310	310		310	310	A	A
295/80-					912	370	370**	370	370		370	370	A	A
295/80- Bridgestone M729					913	371	371	371				371	A	A
295/80- Michelin XDN2 Grip					913	371	371	371				371	A	A
295/80- Michelin XDW Ice Grip					913	371	371	371				371	A	A
315/80-					909	320	320**	320	320		320	320	A	A
315/80- Michelin XDN2 Grip					910	330	330**	330	330		330	330	A	A
315/75-					912	370	370**	370	370		370	370	A	A
225/70-													C	C
255/70-					904	290	290	290	290			290		
275/70-					905	300	300**	300	300		300	300	B	B
295/70-					905	300	300**	300	300		300	300	B	B
305/70-						310	310**	310	310		310	310	A	A
315/70-					907	310	310**	310	310		310	310	A	A
315/70- Bridgestone M729					912	370	370**	370	370		370	370	A	A
315/70- Michelin Multiway 3D XDE					912	370	370**	370	370		370	370	A	A
315/70- Michelin XDN2 Grip					912	370	370**	370	370		370	370	A	A
385/65-						520								
425/65-						525								
445/65-						530								
285/60-						295	295	295	295		295	295		
295/60-					914	295	295	295	295		295	295	B	B
305/60-						300	300**	300	300		300	300	B	B
315/60-					906	305	305	305			305		A	A
500/60-														
560/60-														
295/55-						350	350							

** Available also in König Rallye Pro 8mm

TYRE SIZE		SNOW REM.	SNOW REMOVER / TRACTOR			TRACTOR		SPECIAL VEHICLES				
		KÖNIG SUPER IMPACT	KÖNIG IMPACT PLUS	KÖNIG IMPACT	KÖNIG DR5	KÖNIG DR	KÖNIG SUPERTRACTOR	KÖNIG AGROTRACTOR	KÖNIG SUPER POLAR	KÖNIG RALLYE Q	KÖNIG RALLYE	KÖNIG UNITOUR
375/70	20			500		500	370	370				
380/70-				505		505	505					
400/70-				505		505	505					
405/70-		411		505		505	505	520				
455/70-		431		510		510						
275/65-												
340/65-				359		359						
420/65-				505		505	505					
440/65-				506		506	506					
475/65-				510		510						
275/60-												
235/55-												
275/55-												
255/50-												
265/50-												
275/45-												
500/45-							771					
255/40-												
275/40-												
38 x 14.00-				360		360	360	360				
41 x 14.00-				373		373						
44 x 18.00-				790		790	790					
17.5 x 65-							506					
525/65-	20.5			570		570						
295/35-	21											
9.5-	22					290						
11.00-				330		330	330					
8-	22.5											
9-						290						
10-		404		300		300	300					
11-		402*		310		310	310					
11- Michelin XDY 3		406		310		310	310					
12-		419		370		370	370					
12- Michelin XZY 2		419		320		320	320					
12- Michelin XDE 2+		419		320		320	320					
13-		400		330		330	330					
15-				520		520	520	520				
15- Michelin XF				505		505	505					
16.5-		414										
18-				790		790	790					
12/80-				370		370	370					
13/75-				370		370	370					
11/70-				300		300	300					
275/80-				310		310	310					
295/80-		419		370		370	370					
295/80- Bridgestone M729		419										
295/80- Michelin XDN2 Grip		419										
295/80- Michelin XDW Ice Grip		419										
315/80-		419		320		320	320					
315/80- Michelin XDN2 Grip		419		320		320	320					
315/75-				370		370	370					
225/70-												
255/70-						290						
275/70-		434		300		300	300					
295/70-				300		300	300					
305/70-				310		310	310					
315/70-		406		310		310	310					
315/70- Bridgestone M729		406		370		370	370					
315/70- Michelin Multiway 3D XDE		406		370		370	370					
315/70- Michelin XDN2 Grip		406		370		370	370					
385/65-		412		520		520	520					
425/65-		414										
445/65-		416		790		790	790					
285/60-												
295/60-						298						
305/60-				300		300	300					
315/60-												
500/60-				517		517						
560/60-						516						
295/55-												

* Available also in König Rallye Pro 8mm - König Super Impact 423

TYRE SIZE		OFFROAD			BUS	BUS / TRUCK			TRUCK						
		KÖNIG POLAR HD	KÖNIG POLAR	KÖNIG RALLYE	KÖNIG COACH MASTER	KÖNIG POLAR PRO	KÖNIG RALLYE PRO	KÖNIG T2 PRO	KÖNIG POLAR PRO D	KÖNIG JUMBO PRO	KÖNIG TM-7	KÖNIG UNITOUR	KÖNIG CINGOLI X-PRESS PLUS	KÖNIG CINGOLI	
385/55-	22.5				908	316	316	316							
400/55-															
600/55-															
355/50-						364									
600/50-															
455/45-										333					
495/45-										335					
550/45-															
560/45-															
8.3-	24					290	290	290	290			290			
9.5-						300	300**	300	300			300	B	B	
11.2-						370	370**		370			370	A	A	
14.5-						790									
17.5-															
19.5-															
20-															
12.4-						770									
13.6-						780									
14.9-						790									
14.9/80-						790									
16.9-															
16.9- Nokian Tractor Industrial															
16.5/85-															
14/80-						398									
15.5/80-						790									
17.0/80-															
16/70-						795									
385/95-															
280/85-						370	370**		370			370	370		
320/85-						770									
320/85- Conti AC85						772									
340/85-						780									
380/85-						790									
420/85-															
300/80- Nokian TRI-2						370	370**		370			370	370	A	A
340/80-						772									
360/80-					380										
400/80-					790										
440/80-															
440/80- Alliance 550															
440/80- Nokian TRI-2															
420/75-															
300/70-					310	310**	310	310			310	310			
320/70-					520										
360/70-					775										
380/70-					795										
400/70-					795										
405/70-					795										
420/70-															
440/70-															
445/70-															
455/70-															
460/70-															
480/70-															
500/70-															
420/65-					795										
440/65-					790										
480/65-															
480/65- Continental Contract AC65															
540/65-															
360/60-															
10.00-					330	330**	330	330			330	330			
12.00-					398										
13.00-															
14.00-															
16.00-															
305/75-	24.5					320	320**	320	320			320	320	A	A
315/75-						330	330**	330	330			330	330	A	A
14.00-	25														
16.00-															

** Available also in König Rallye Pro 8mm

TYRE SIZE		SNOW REM.	SNOW REMOVER / TRACTOR				TRACTOR		SPECIAL VEHICLES			
		KÖNIG SUPER IMPACT	KÖNIG IMPACT PLUS	KÖNIG IMPACT	KÖNIG DRS	KÖNIG DR	KÖNIG SUPERTRACTOR	KÖNIG AGROTRACTOR	KÖNIG SUPER POLAR	KÖNIG RALLYE Q	KÖNIG RALLYE	KÖNIG UNITOUR
385/55-	22.5											
400/55-				370		370	370					
600/55-						516						
355/50-												
600/50-						512						
455/45-												
495/45-												
550/45-					510		510					
560/45-					510		510					
8.3-	24					290						
9.5-				300		300	300	300				
11.2-				320		320	320	370				
14.5-				790		790	790					
17.5-		420		550		550	825	825				
19.5-				539		539						
20-			585		585							
12.4-				770		770	770	770				
13.6-		435		780		780	780	780				
14.9-				790		790	790	790				
14.9/80-				790		790	790					
16.9-		421		830		830	830	830				
16.9- Nokian Tractor Industrial				570		570	570	570				
16.5/85-				830		830	830					
14/80-												
15.5/80-				790		790	790					
17.0/80-				550		550						
16/70-		436		795		795	795	795				
385/95-				540		540						
280/85-				320		320	320	370				
320/85-				770		770	770	770				
320/85- Conti AC85				772		772	772					
340/85-				780		780	780	780				
380/85-				790		790	790	790				
420/85-				830		830	830	830				
300/80- Nokian TRI-2		419		320		320	320	370				
340/80-				772		772	772					
360/80-				380		380						
400/80-				790		790	790					
440/80-				550		550						
440/80- Alliance 550				830		830	830	830				
440/80- Nokian TRI-2		421		830		830	830	830				
420/75-				570		570						
300/70-				310		310	310					
320/70-				520		520	520	520				
360/70-		424		775		775	775	775				
380/70-				795		795	795	795				
400/70-				795		795	795	795				
405/70-		436		795		795	795					
420/70-		444		825		825	825	796				
440/70-				550		550	825					
445/70-				550		550	825					
455/70-	417		570		570							
460/70-			550		550	570	825					
480/70-	445		540		540		540					
500/70-			539		539							
420/65-			795		795	795						
440/65-			790		790	790	795					
480/65-			570		570	570	570					
480/65- Continental Contract AC65			830		830	830	570					
540/65-			878	878	878	878	877					
360/60-			373		373	373	373					
10.00-			330		330	330						
12.00-	418		810		810							
13.00-			825		825	825						
14.00-	415		540		540							
16.00-	438		860		860	860						
305/75-	24.5		320		320	320						
315/75-			330		330	330						
14.00-	25		540		540							
16.00-			575		575							

TYRE SIZE		OFFROAD			BUS	BUS / TRUCK			TRUCK					
		KÖNIG POLAR HD	KÖNIG POLAR	KÖNIG RALLYE	KÖNIG COACH MASTER	KÖNIG POLAR PRO	KÖNIG RALLYE PRO	KÖNIG T2 PRO	KÖNIG POLAR PRO D	KÖNIG JUMBO PRO	KÖNIG TM-7	KÖNIG UNITOUR	KÖNIG CINGOLI X-PRESS PLUS	KÖNIG CINGOLI
15.5-	25													
17.5-														
18.00-														
20.5-														
23.5-														
23.5- L5														
26.5- L2-L3														
26.5- L4-L5														
30/65-														
385/95-														
445/95-														
445/80-														
525/80-														
550/65-														
650/65-														
750/65-														
14.9-	26													
18.4-														
23.1-														
28-														
28.1-														
480/80-														
620/75-														
480/70-														
540/65-														
400/60-	26.5													
500/60-														
600/55-														
710/50-														
710/45-														
8.3-	28													
11.2-														
12.4-														
13.6-														
14.9-														
16.9-														
16.9- Nokian TRI-2														
16.5/85-														
320/85-														
340/85-														
380/85-														
380/85- Continental AC85														
420/85-														
400/80- Nokian TRI-2														
440/80-														
440/80- Nokian TRI-2														
320/70-														
360/70-														
380/70-														
380/70- Continental Contact AC70														
380/70- Goodyear Optitrac 812														
420/70-														
480/70-														
600/70-														
440/65-														
480/65-														
540/65-														
500/65-														
600/65-														
480/60-														
520/60-														
600/60-														
14.9-	30													
16.9-														
18.4-														
18.4- Nokian TRI-2														
380/85-														
420/85-														
460/85-														
440/80-														

** Available also in König Rallye Pro 8mm

TYRE SIZE		SNOW REM.	SNOW REMOVER / TRACTOR			TRACTOR		SPECIAL VEHICLES				
		KÖNIG SUPER IMPACT	KÖNIG IMPACT PLUS	KÖNIG IMPACT	KÖNIG DR5	KÖNIG DR	KÖNIG SUPERTRACTOR	KÖNIG AGROTRACTOR	KÖNIG SUPER POLAR	KÖNIG RALLYE Q	KÖNIG RALLYE	KÖNIG UNITOUR
15.5-	25	417		570		570						
17.5-		422		580		580						
18.00-					560		560					
20.5-		426	590		590							
23.5-		430	600		600							
23.5- L5			605		605							
26.5- L2-L3		447			620							
26.5- L4-L5					625							
30/65-			605		605							
385/95-					540		540					
445/95-					575		575					
445/80-					580		580					
525/80-			590		590							
550/65-			585		585							
650/65-			598		598							
750/65-		605		605								
14.9-	26			825		825	825	825				
18.4-				880	593	880	880	880				
23.1-			600		600							
28-			605		605							
28.1-			605		605							
480/80-				880	593	880	880					
620/75-			600		600							
480/70-				878	878	878	878	878				
540/65-				880	593	880	880	880				
400/60-		26.5			772		772	772				
500/60-				830		830	830					
600/55-			585		585							
710/50-			590		590							
710/45-			585		585							
8.3-	28			310		310	310					
11.2-				772		772	772	772				
12.4-				810		810	810	810				
13.6-		437		820		820	820	820				
14.9-				830		830	830	830				
16.9-				840		840	840	840				
16.9- Nokian TRI-2		433		840		840	840					
16.5/85-				840		840	840					
320/85-				810		810	810	810				
340/85-		437		820		820	820	820				
380/85-				830		830	830	830				
380/85- Continental AC85				850		850	850	830				
420/85-				840		840	840	840				
400/80- Nokian TRI-2				830		830						
440/80-				840		840	840					
440/80- Nokian TRI-2		433		840		840	840					
320/70-				772		772	772	772				
360/70-				790		790	790					
380/70-				570		570	570	825				
380/70- Continental Contact AC70				825		825	825	825				
380/70- Goodyear Optitrac 812				825		825	825	825				
420/70-				850		850	850	850				
480/70-				880		880	880	880				
600/70-			598		598							
440/65-				830		830	830	830				
480/65-				878	878	878	878	878				
540/65-				885	885	885	885	885				
500/65-				878	878	878	878					
600/65-			595		595		595					
480/60-				540		540						
520/60-			880		880	880	878					
600/60-		590		590								
14.9-	30			850		850	850	850				
16.9-				860		860	860	860				
18.4-				870		870	870	870				
18.4- Nokian TRI-2				869		869						
380/85-				850		850	850	850				
420/85-				860		860	860	860				
460/85-				870		870	870	870				
440/80-				860		860	860	860				

TYRE SIZE	OFFROAD			BUS	BUS / TRUCK			TRUCK					
	KÖNIG POLAR HD	KÖNIG POLAR	KÖNIG RALLYE	KÖNIG COACH MASTER	KÖNIG POLAR PRO	KÖNIG RALLYE PRO	KÖNIG T2 PRO	KÖNIG POLAR PRO D	KÖNIG JUMBO PRO	KÖNIG TM-7	KÖNIG UNITOUR	KÖNIG CINGOLI X-PRESS PLUS	KÖNIG CINGOLI
480/80- Nokian TRI-2 30													
620/75-													
420/70-													
480/70-													
600/70-													
520/70-													
540/70- Nokian Forest King T													
540/65-													
600/65-													
600/60													
710/60-													
600/60- 30.5													
12.4- 32					820								
24.5-													
30.5-													
800/65-													
650/75-													
16.9- 34													
18.4-													
420/85-													
460/85-													
440/80-													
480/80-													
520/75-													
480/70-													
520/70-													
520/70- Continental HC70													
600/70-													
540/65-													
600/65-													
650/65-													
12.4- 36					920								
13.6-					930								
13.6- 38					940								
14.9-													
15.5-													
16.9-													
18.4-													
20.8-													
420/85-													
460/85-													
520/85-													
650/85-													
480/80- Nokian TRI-2													
540/80-													
650/75-													
480/70-													
520/70-													
520/70- Trelleborg TM700													
580/70-													
710/70-													
800/70-													
540/65-													
600/65-													
650/65-													
600/60-													
650/60-													
900/60-													
710/60-													
18.4- 42													
20.8-													
460/85-													
520/85-													
580/70-													
620/70-													
710/70-													
710/75-													
650/65-													

TYRE SIZE	SNOW REM.	SNOW REMOVER / TRACTOR				TRACTOR		SPECIAL VEHICLES				
		KÖNIG SUPER IMPACT	KÖNIG IMPACT PLUS	KÖNIG IMPACT	KÖNIG DRS	KÖNIG DR	KÖNIG SUPERTRACTOR	KÖNIG AGROTRACTOR	KÖNIG SUPER POLAR	KÖNIG RALLYE Q	KÖNIG RALLYE	KÖNIG UNITOUR
480/80- Nokian TRI-2 30				869		869						
620/75-				960		960	960	955				
420/70-				840		840	840	840				
480/70-				885	885	885	885	885				
600/70-			600		600		605					
520/70-			590	887	590	887	887	887				
540/70- Nokian Forest King T				886		886	886					
540/65-			590	886	590	886	886	886				
600/65-				900	900	900	900					
600/60			595		595							
710/60-							982					
600/60-	30.5			603								
12.4-	32			820		820	820	820				
24.5-					620							
30.5-							987					
800/65-							987					
650/75-					620							
16.9-	34	439		870		870	870	870				
18.4-				900	900	900	900	900				
420/85-				870		870	870	875				
460/85-				900	900	900	900	900				
440/80-		439		870		870	870					
480/80-				900	900	900	900	900				
520/75-				950	950	950	950	950				
480/70-				875	875	875	875	875				
520/70-				900	900	900	900	900				
520/70- Continental HC70				950	950	950	950	950				
600/70-			605	960	605	960	960	955				
540/65-				900	900	900	900	899				
600/65-			605		605		605	605				
650/65-			605		605		605					
12.4-	36			920		920						
13.6-						930		930				
13.6-	38			940		940						
14.9-				870		870	870	870				
15.5-				869		869						
16.9-				950	950	950	950	950				
18.4-		440	605	960	605	960	960	960				
20.8-			980	970	980	970	970	970				
420/85-				950	950	950	950	950				
460/85-			605	960	605	960	960	960				
520/85-			980	970	980	970	970	970				
650/85-					990		990					
480/80- Nokian TRI-2		432		950	950	950	950					
540/80-		446		970		970	970	970				
650/75-							988					
480/70-				950	950	950	950					
520/70-			605	960	605	960	960	959				
520/70- Trelleborg TM700			980		980							
580/70-		442	985		985		625					
710/70-							988					
800/70-							995					
540/65-				950	950	950	950	951				
600/65-			980		980		980	980				
650/65-					625		625					
600/60-			605	960	605	960	960					
650/60-					620		623	980				
900/60-							995					
710/60-							986					
18.4-	42			970		970	970					
20.8-					975	975						
460/85-				970		970	970					
520/85-					975	975						
580/70-					625							
620/70-							627					
710/70-					990		990					
710/75-							992					
650/65-					628		628					

www.konigchain.com



KÖNIG



2019501108/04.16 8005438033196 Local variations in product range
may occur and products may be subject to change without prior notice.
We are not liable for any errors that may exist in the catalogue.

